QUICK REFERENCE GUIDE > OB60SD16PLX1

# 60cm Series 7 Contemporary Pyrolytic Oven, 16 Function

Series 7 | Contemporary

Stainless Steel




With beautiful Contemporary styling and a generous 85L total capacity, this built-in oven helps to ensures that every dish you create is cooked to perfection.

- 16 oven functions including Pastry Bake, Roast, Dehydrate and Rapid Proof
- · Moisture level control with ActiveVent technology

- Pyrolytic self-cleaning function breaks down food residue for an easy clean
- Guided cooking capability offers helpful tips for different food types

# **DIMENSIONS**

Height	598 mm
Width	596 mm
Depth	565 mm



# **FEATURES & BENEFITS**

**Multi-Function Flexibility** 

Each function has been perfected to ensure that no matter what you're cooking, you've got the right heat to match. This built-in oven has 16 functions including Pastry Bake, Roast, Fan Grill, Dehydrate and Rapid Proof, allowing you to use a variety of cooking styles.

#### **Generous Capacity**

With a generous 85L total capacity, you can create several perfectly cooked dishes at once using multiple shelves.

#### Cook With Confidence

The intuitive 2.4" screen provides an intuitive guided cooking experience that helps to deliver perfect results, whether you've been cooking all your life or are just starting out. Cook by food type and allow your oven to guide you through steps, or change temperature and heat type automatically, depending on your selection.

#### **Exceptional performance**

Our unique cooking technologies were developed to deliver perfect results. ActiveVent ensures optimised moisture levels, while AeroTech™ circulates heat evenly for a consistent temperature.

#### Self-Cleaning

Pyrolytic self-clean breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth. The enamel coated side racks don't need to be removed when using this function.

#### **Design Freedom**

Designed to fit seamlessly into your kitchen, this built-in oven features premium materials and detailing to support a cohesive, considered kitchen design.

# Safe And Sound

The CoolTouch door features triple glazing and a cooling system that ensures it's safe to touch from the outside – protecting both your hands and the surrounding cabinetry.

QUICK REFERENCE GUIDE > OB60SD16PLX1 Date: 02.05.2025 > 2

SPECIFICATIONS		Automatic pre-set temperatures	•	Pizza bake	•
		Celsius/Fahrenheit temperature	•	Pyrolytic self-clean	•
Accessories (included)		Certified Sabbath mode	•	Rapid proof	•
Accessories (ilicidaed)		Delay start	•	Roast	•
Full extension sliding shelves	1 set	Electronic clock	•	Slow cook	•
Grill rack	1 set	Electronic oven control	•	Vent bake	•
Pyrolytic proof shelf runners	•	Food probe	•	Warm	•
Roasting dish	1	Guided cooking by food types	•		
Smokeless grill tray	1	Internal Light	•		
Step down wire shelf	1	Intuitive touchscreen display	•	Performance	
Wired temperature sensor	1	Multi-language display	UK English, US	ActiveVent™ system	•
			English, Simplified	AeroTech™ technology	•
Capacity			Chinese, Français, Español	Automatic rapid pre-heat	•
Chalf positions	6	Soft close doors	•	Grill power	3000 W
Shelf positions		True convection oven	•	Temperature range	35°C - 280°C⊠
Total capacity Usable capacity	85 L 72 L	Turned stainless steel dials with illuminated halos	•	Whisper quiet cooking	•
		Wireless temperature sensor compatible	•		_
				Power requirements	
Cleaning				Amperage	15 A
Acid resistant graphite enamel	•	Functions		Rated current	15 A
Pyrolytic proof shelf runners	•	Air fry	•	Supply frequency	50 Hz
Pyrolytic self-clean	•	Bake	•	Supply voltage	220-240 V
Removable oven door	•	Classic bake	•	,	
Removable oven door inner glass	•	Dehydrate	•		
Removable shelf runners	•	Fan bake	•	Product dimensions	
		Fan forced	•	Depth	565 mm
Controls		Fan grill	•	Height	598 mm
		Grill	•	Width	596 mm
Adjustable audio and display settings	•	Number of functions	16		
Audio feedback	•	Pastry Bake	•		
Automatic cooking/minute timer	•	·		Safety	

QUICK REFERENCE GUIDE > OB60SD16PLX1

Balanced oven door	•
Catalytic venting system	•
Control panel key lock	•
CoolTouch door	•
Non-tip shelves	•
Safety thermostat	•

SKU 82554

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

# Other product downloads available at fisherpaykel.com

↓ 2D-DWG Oven

L 2D-DXF Oven

J. ArchiCAD Oven

Installation Guide Wall Oven EN

Installation Guide (Chinese)

Revit Oven

↓ Rhino Oven

J. SketchUp Oven

, User Guide Oven EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.