
QUICK REFERENCE GUIDE > DD60SHTI9

Series 9, Integrated Tall Single DishDrawer Dishwasher

Series 9 | Integrated




Integrating into your kitchen design seamlessly, with extra height for larger dishes in the tall top drawer.

- With extra height for taller dishes, and customisable internal shelving
- · Knock to pause function is perfect if you miss a dish
- Quick wash, Sanitise and Extra Dry options provide superior performance
- Customise with your own front panel and handle to match your kitchen cabinetry, or choose our stainless steel panel

DIMENSIONS

Height	454 mm
Width	599 mm
Depth	553 mm



FEATURES & BENEFITS

Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending.

Quick, Sanitise and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection, killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock to pause

Instead of needing a remote control, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Knock to pause

Instead of needing a remote control, these DishDrawer $^{\text{TM}}$ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Quiet Performer

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket

Knife clip and multipurpose clip

•

Accessories (sold separately)

Door panel black stainless steel	ADDD60STPB
Door panel recessed handle black stainless steel	ADDD60STNB
Door panel recessed handle matte black glass	ADDD60STZB
Door panel recessed handle stainless steel	ADDD60STNX
Door panel stainless steel	ADDD60STPX
Handle kit Contemporary square fine, aluminium	AHD5DDDW60S
Handle kit Contemporary square fine, black	AHD5DDDW60B

QUICK REFERENCE GUIDE > DD60SHTI9 Date: 06.06.2025 > 2

Capacity and loading		Motor type	BLDC	Fast	•	
Accommodates round plates up to	310mm	Quiet operation	•	Heavy	•	
Adjustable height, foldable cupracks	•	SmartDrive™ technology	•	Medium	•	
Fold down tines	•			Rinse	•	
Pitch adjustable tines	•			Wash programs	6	
Place settings	8	Performance				
		Noise emissions	43 dBA			
				Water connection		
Consumption				Water pressure	100kPa - 1000kPa	
Cleaning Index	1.16	Power requirements		Water supply	3/4" BSP (20mm) Connector Water	
Drying Index	0.97	Amperage	5A		Inlet Hose	
Energy consumption	0.61kWh/cycle	Supply frequency	50Hz			
Water consumption	8L	Supply voltage	220 - 240V			
				CIVII	07071	
				SKU	83031	
Controls		Product dimensions				
Electronic fault/Diagnostic indicator	•	Depth	553 mm	The product dimensions and specifications in this page apply to the specific		
End of cycle beeps	•	Height	454 mm	product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page		
Energy saving delay start option of up to 12	•	Width	599 mm			
hours Internal wash selector	_			correctly describes the model currer Appliances Ltd 2020	ntiy avallable. © Fisher & Paykel	
	•	Wash Program Modifiers				
Keylock						
Knock to pause	•	Extra Dry	•	Other product downloads available at fisherpaykel.com		
Rinse aid indicator light	•	Quick	•			
		Sanitise	•	<u>↓</u> DWG		
Features		Wash modifiers	3	<u>↓</u> DXF		
Built-in water softener	•					
Fan assisted drying	•	Wash Programs			se)	
Flood protection	•	Delicate	•	<u>↓</u> Revit		
Flow through detergent dispenser	•	Eco	•	<u>↓</u> Rhino		


QUICK REFERENCE GUIDE > DD60SHTI9 Date: 06.06.2025 > 3



Rhino Appliance with Door Panel and Contemporary Square Handle



SketchUp





Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.