QUICK REFERENCE GUIDE > RS7621FRJK1 Date: 29.10.2025 > 1

76cm Series 11 Integrated Column Freezer, Ice

Series 11 | Integrated



Install it separately or pair with another Column for true design freedom – this model is right hinge with stainless steel interior.

- ActiveSmart technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage
- Internal ice maker with boost for busy times
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

Height 2134 mm
Width 756 mm
Depth 610 mm



FEATURES & BENEFITS

Variable temperature zones

There's more than one way to freeze food, and different freezing temperatures and techniques affect food care – and your levels of convenience – in different ways. Optimal freezing is a question of what you're storing, how fresh it is, and when you plan to consume it. Change a compartment to Soft Freeze to enjoy maximum everyday convenience, or to Freeze Mode or Deep Freeze Mode to retain natural goodness for future use.

Deep Freeze Mode

Deep freezing (-25°C) allows food to be stored for months or even years with temperatures that halt bacterial activity. Freezing food quickly is the key to protecting quality and retaining nutrients, so they are not lost when defrosting.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Clever Energy

Our ActiveSmart Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (included)

DIMENSIONS

QUICK REFERENCE GUIDE > RS7621FRJK1 Date: 29.10.2025 > 2

Joiner kit	AJ-RS21LR	Adjustable door shelves	4	ActiveSmart™ Foodcare	•
		Adjustable glass cantilevered shelves	•	Adaptive defrost	•
		Adjustable glass shelves	3	Dual evaporator	•
Accessories (sold separately)		Door alarm	•	Frost free	•
Door panel stainless steel Left hinge 762mm	RD7621L10D	LED bin lighting	•	Inverter controlled compressor	•
Door panel stainless steel Right hinge	RD7621R10D	LED ceiling lighting	•	Noise emissions	42 dBA
762mm	DD 7601D10D	LED side lighting	•	Noise emissions class	D
Door panel stainless steel Right hinge 762mm	RD7621R10D	SmartTouch interface at counter height	•	Sabbath mode	•
Handle kit Classic	AHCLRDSF			Variable food modes	Soft freeze; Freeze; Deep
Handle kit Contemporary round, aluminium	AHSRDSF				Freeze
Handle kit Contemporary square fine, aluminium	AHD5RDSF	Freezer Features		Variable temperature zones	2
Handle kit Contemporary square fine, black	AHD5RDSFB	Automatic ice maker	•		
Handle kit Professional round flush	AHP3RDSF	Bottle chill	•		
Joiner kit	AJ-RS21LR	Door alarm	•	Power requirements	
		Fast freeze	•	Connection power	330W
Toe kick stainless steel 1372mm	AKR\$13710	Freezer bins	4	Rated current	10 A
Toe kick stainless steel 1524mm	AKRS15210	Ice Boost	•	Supply frequency	50 Hz
Toe kick stainless steel 762mm	AKRS7610	LED bin lighting	•	Supply voltage	220 - 240 V
Water filter replacement	847200 - FWC3	LED ceiling lighting	•		
		LED side lighting	•		
Capacity		SmartTouch interface at counter height	•	Product dimensions	
•				Depth	610 mm
Total gross capacity	477 L			Height	2134 mm
Total net volume	442L	Installation Dimensions		Width	756 mm
Volume freezer	442 L	Cabinetry height with included trim kit	2134 mm		
		Minimum inside width of cabinetry frame	762 mm		
Consumption		Minimum internal depth of cabinetry	635 mm	Product information	
Consumption		Minimum internal height of cabinetry	2134 mm	Packaged weight	156 kg
Energy rating	Grade 1			Unpackaged weight	133 kg
		Performance			

Features

QUICK REFERENCE GUIDE > RS7621FRJK1 Date: 29.10.2025 > 3

SKU 25681

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- ↓ DWG
- ↓ DXF
- L DXF
- ↓ Energy Label
- Water Filter Replacement Instructions Parts 847200 and 847201 (English)
- ↓ Installation Guide Toe Kick (English)
- Water Filter Replacement Instructions Parts 847200 and 847201 (Chinese)
- Installation Guide (Chinese)
- ↓ Planning Guide (Chinese)
- ↓ Planning Guide (English)
- ↓ Revit
- ↓ Rhino
- Rhino Appliance with Door Panel and Contemporary Round Handle
- Rhino Appliance with Door Panel and Contemporary Square
- Restriction of the Use of Hazardous Substances (Chinese)
- ↓ SketchUp
- SketchUp Appliance with Door Panel and Contemporary Round Handle
- SketchUp Appliance with Door Panel and Contemporary Square Handle
- ↓ User Guide (Chinese)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.