Series 11 | Integrated

Panel Ready | Right Hinge




A slim profile, perfect for compact kitchens, or pair it with other Integrated models for generous chilled and frozen storage.

- Keep food fresher for longer by constantly maintaining the ideal temperature with ActiveSmart™ technology
- Create the perfect climate for each type of food with Variable Temperature Zone: choice of four food modes, Pantry, Fridge, Soft Freeze or Freezer

- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel and handle accessories

DIMENSIONS



FEATURES & BENEFITS

Variable Temperature Zone

Create the perfect climate and store each type of food at optimal temperature and humidity with Variable Temperature Zone, reducing food waste due to spoiling. You have the choice of four food modes: Pantry, Fridge, Soft Freeze or Freezer. Use the Max cold feature for periods of high refrigerator or freezer use, or full grocery loads.

Pantry Mode

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

Soft Freeze Mode

Soft freeze is for food that requires a gentle freeze and quick thawing, perfect for items that will be consumed soon. It allows easy portioning and the ability to heat, cook or serve straight from the compartment, without waiting for it to thaw.

Activesmart Foodcare

ActiveSmart Foodcare learns how you live. It's technology which understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Internal Water Dispenser And Ice Maker

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The slimline water dispenser is flush fit in order to maximise internal storage space, with a temperature-controlled flow and an angled water delivery to capture any drips and spills.

Complementary Design

Both the 61cm and 76cm Integrated Refrigerator Freezers can be installed separately or paired with a Column Refrigerator, Freezer or Wine Column. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Design Quality

The premium design and finish includes a steel interior lining as well as full extension metal shelf runners for easy access, robust glass shelving and quality hinges designed for daily use.

Clever Energy

Your refrigerator adapts to daily use by cooling and defrosting only when necessary. This means your refrigerator uses the energy it needs without compromising on food care.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel Left hinge 610mm	RD6121WLD
Door panel stainless steel Right hinge 610mm	RD6121WRD
Handle kit Classic	AHCLRD6121W
Handle kit Contemporary round, aluminium	AHSRD6121W
Handle kit Contemporary square fine, aluminium	AHD5RD6121W
Handle kit Contemporary square fine, black	AHD5RD6121WB
Handle kit Professional round flush	AHP3RD6121W
Joiner kit	AJ-RS21LR
Toe kick stainless steel 1220mm	AKRS12210
Toe kick stainless steel 1372mm	AKRS13710
Toe kick stainless steel 1828mm	AKRS18310
Toe kick stainless steel 1981mm	AKRS19810
Toe kick stainless steel 610mm	AKRS06110
Water filter replacement	847200 - FWC3

Capacity

Total gross capacity	371
Volume	342

Volume freezer 115 L Volume refrigerator 227 L

Consumption

Energy rating

Features

Adjustable door shelves	
Covered door shelves	
Door alarm	
Gallon door shelves	
LED bin lighting	
LED ceiling lighting	
LED side lighting	
SmartTouch interface at counter height	
Stackable bottle holders	
Ultra slim water dispenser	

Freezer Features Automatic ice maker

L

Bottle chill Door alarm Door shelves Freezer bins Freezer trays Ice Boost LED bin lighting LED ceiling lighting

LED Lighting	•
LED side lighting	•
Slide Out Pastry Tray	•
SmartTouch interface at counter height	•

Performance

Grade 2

4

1

1

4

1

2

1

ActiveSmart™ Foodcare.Adaptive defrost.Dual evaporator.Frost free.Humidity control system.Inverter controlled compressor.Noise emissions42 dBANoise emissions classDSabbath mode.Variable temperature zones2		
Dual evaporator•Frost free•Humidity control system•Inverter controlled compressor•Noise emissions42 dBANoise emissions classDSabbath mode•	ActiveSmart™ Foodcare	•
Frost free•Humidity control system•Inverter controlled compressor•Noise emissions42 dBANoise emissions classDSabbath mode•	Adaptive defrost	•
Humidity control system•Inverter controlled compressor•Noise emissions42 dBANoise emissions classDSabbath mode•	Dual evaporator	•
Inverter controlled compressor•Noise emissions42 dBANoise emissions classDSabbath mode•	Frost free	•
Noise emissions42 dBANoise emissions classDSabbath mode•	Humidity control system	•
Noise emissions classDSabbath mode•	Inverter controlled compressor	•
Sabbath mode •	Noise emissions	42 dBA
	Noise emissions class	D
Variable temperature zones 2	Sabbath mode	•
	Variable temperature zones	2

Power requirements

Rated current	10 A
Supply frequency	50 Hz
Supply voltage	230 V

Product dimensions

Depth	610 mm
Height	2134 mm
Width	603 mm

•			
•	-		

QUICK REFERENCE GUIDE > RS6121WRUK1

SKU

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- DXF
- ↓ Installation Guide Toe Kick (English)
- Planning Guide (Chinese)
- ↓ Planning Guide (English)
- 👃 🛛 Revit
- 🕹 Rhino
- ↓ Rhino Appliance with Door Panel and Contemporary Round Handle
- ↓ Rhino Appliance with Door Panel and Contemporary Square Fine Black Handle
- ↓ Rhino Appliance with Door Panel and Contemporary Square Fine Handle
- ↓ Rhino Appliance with Door Panel and Contemporary Square Handle
- Restriction of the Use of Hazardous Substances (Chinese)
- ↓ SketchUp
- ✓ SketchUp Appliance with Door Panel and Contemporary Round Handle
- ↓ SketchUp Appliance with Door Panel and Contemporary Square Fine Black Handle
- ✓ SketchUp Appliance with Door Panel and Contemporary Square Fine Handle
- SketchUp Appliance with Door Panel and Contemporary Square Handle
- User Guide (Chinese)

Where applicable:

25701

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.