QUICK REFERENCE GUIDE > RS9121WRUVE1

92cm Series 11 Integrated Refrigerator Freezer, Ice & Water

Series 11 | Integrated

Panel Ready | Right Hinge




Experience the pinnacle of refrigeration design with our most advanced model. Featuring an elegant interior, this refrigerator embodies premium functionality and style. Designed to optimise energy efficiency, it comes complete with an ice maker and internal water dispenser.

 For optimal food care, the Variable Temperature Drawer lets you switch between three modes: Chill, Fridge, or Pantry

- With a premium interior for a refined look and feel, this model is the highlight of our Integrated collection
- Enjoy convenient access to fresh, chilled water and ice with the internal water dispenser and ice maker
- Designed to optimise energy performance and efficiency

DIMENSIONS

Height 2134 mm
Width 908 mm
Depth 610 mm



FEATURES & BENEFITS

Variable temperature drawer

When it comes to optimal food preservation, one temperature does not fit all. Our Variable Temperature Drawer gives you complete control over how you care for your food. With the touch of a button, you can transform the bottom refrigerator drawer into Chill, Fridge, or Pantry modes to best suit different types of food. Adjust the settings for everyday convenience or switch modes to increase chilling capacity, perfect for special occasions.

Clever energy

With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.

Elegant interior

With a premium interior for a refined look and feel, this model is the highlight of our Integrated refrigeration collection. Experience superior design and functionality combined seamlessly.

Internal water and ice dispenser

Both the water dispenser and ice maker are located inside this integrated model, ensuring an uninterrupted exterior that blends seamlessly with adjacent cabinetry. The slimline water dispenser is flush-fit to maximise internal storage space. It boasts a temperature-controlled flow and an angled delivery to catch any drips or spills.

ActiveSmart™ Foodcare

ActiveSmart™ Foodcare adapts to your lifestyle. This technology understands how you use your fridge and adjusts the temperature, airflow, and humidity to keep your food fresher for longer.

Seamless integration

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

QUICK REFERENCE GUIDE > RS9121WRUVE1

3 Design quality Adjustable door shelves Minimum inside width of cabinetry frame 914 mm The premium design and finish include a steel interior lining, Adjustable glass cantilevered shelves Minimum internal depth of cabinetry 635 mm full-extension metal shelf runners for easy access, robust glass Adjustable glass shelves Minimum internal height of cabinetry 2134 mm shelving, and drawers with quality hinges designed for daily Door alarm use. Fruit and vegetable bins **SPECIFICATIONS** Performance Full extension drawers Internal water dispenser ActiveSmart™ Foodcare Keylock Adaptive defrost Accessories (sold separately) LED bin lighting Eco friendly R600a refrigerant Door panel set stainless steel Left hinge RD9121WLD. LED ceiling lighting Frost free Right hinge SmartTouch interface at counter height Holiday mode RD9121WRD Split level cantilevered shelves Humidity control system Handle kit Classic AHCLRD9121W Variable temperature drawer Internal replacable water filter Handle kit Contemporary round, aluminium AHSRD9121W Sabbath mode Handle kit Contemporary square fine, AHD5RD9121W aluminium Triple evaporator Freezer Features Handle kit Contemporary square fine, black AHD5RD9121WB Variable food modes Pantry; Fridge; Chill Joiner kit AJ-RS21LR Automatic ice maker Variable temperature compartment Toe kick stainless steel 910mm AKRS09110 Bottle chill Door alarm Fast freeze Power requirements Capacity Freezer bins Rated current 10 A Volume 555 L Freezer drawers 50 Hz Supply frequency Volume freezer 190 L Freezer trays 230 V Supply voltage 328 L Volume refrigerator Ice bin and scoop Volume variable temperature compartment 37 L Ice Boost **LED Lighting Product dimensions** Max Cold Consumption 610 mm Depth Slide Out Pastry Tray Height 2134 mm Energy rating Grade 1 SmartTouch interface at counter height Width 908 mm

Features Installation Dimensions

QUICK REFERENCE GUIDE > RS9121WRUVE1

Product information

Packaged weight	240 kg
Variable Temp Compartment	
Chill	•
Fridge	•
Pantry	•

Warranty

SKU

	Parts and labour	1 year
	Sealed system parts only	5 years
-		

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- 2D-DWG Integrated Refrigeration K05 Hinge2D-DWG Integrated Refrigerator
- 2D-DXF Integrated Refrigeration K05 Hinge
- 2D-DXF Panel Preparation
- Declaration of Conformity ZH

\overline{ullet}	Energy Label
\underline{ullet}	Service & Warranty
\underline{ullet}	Installation Guide (English)
\underline{ullet}	Installation Guide (Chinese)
\overline{ullet}	Planning Guide (Chinese)
\underline{ullet}	Planning Guide (English)
\underline{ullet}	Revit 20 Integrated Refrigerator
\underline{ullet}	Rhino 6 Integrated Refrigerator
\underline{ullet}	SketchUp 8 Integrated Refrigerato
\underline{ullet}	User Guide (English)
↓	User Guide (Chinese)

Engravil abol

Where applicable:

26766

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.