90cm Series 9 Integrated Insert Wall Rangehood


Series 9	Integrated
Stainless S	teel

With edge-to-edge extraction, this efficient, stylish rangehood is perfectly hidden away in your cabinetry.

- With five fan speeds, select the perfect extraction rate for your cooking
- With dimmable LED strip lighting
- 20m3/hr maximum airflow, or 25m3/hr with extension accessory
- Dishwasher safe filters that are easy to remove and clean

DIMENSIONS

Height	462 mm
Width	880 mm
Depth	480 mm



FEATURES & BENEFITS

Achieve The Invisible

This high quality integrated rangehood seamlessly blends behind cabinetry in a variety of kitchen layouts. Beautiful in its simplicity, this product has brushed finished surfaces with no visible screws.

Edge To Edge Extraction

Filters effectively reach edge to edge, maximising the capture and extraction of steam, odours and grease.

Full Surface Lighting

LED lighting illuminates the entire cooktop surface so you can ensure you have the perfect sear or ideal reduction. With dimmable lights featuring fade in and fade out features.

Easy To Use

Enjoy fingertip control of LED-illuminated, soft-touch buttons. This model also comes with a remote control for convenience.

Quiet And Efficient

Powered by a brushless DC motor, the Integrated Rangehood operates more efficiently, more reliably and with less noise than units with AC motors.

Easy Cleaning

Multi-layered filters effectively trap grease particles during extraction. Designed for simple removal, they're easy-to-clean and dishwasher safe.

Simple Installation

Designed for simple installation in your kitchen cabinetry, with an adjustable mounting system.

SPECIFICATIONS

Fan ratings	
Speed 3 sound rating	57 dBA
Installation and cleaning	
Dishwasher safe filters	4
Ducted	Vertical only
Performance	
Extraction type	Surface

QUICK REFERENCE GUIDE > HPB9048-2

Filter type	Stainless Steel Baffle
Product dimensions	
Depth	480 mm
Height	462 mm
	880 mm
Width Ventilation features Auto-off/Run-on timer	880 mm
Ventilation features	880 mm
Ventilation features Auto-off/Run-on timer	880 mm
Ventilation features Auto-off/Run-on timer Dimmable lights	880 mm • • LED
Ventilation features Auto-off/Run-on timer Dimmable lights Filter cleaning alert	•

SKU

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

↓ 2D-DWG Insert Rangehood

2D-DXF Insert Rangehood $\overline{\uparrow}$ \downarrow Archicad Integrated Insert Rangehood Data Sheet Insert Rangehood $\overline{\mathbf{1}}$ Energy Label \downarrow Energy Label $\overline{\mathbf{1}}$ $\overline{\mathbf{1}}$ Service & Warranty Installation Guide Rangehood \downarrow \downarrow Installation Guide Integrated Rangehood $\overline{\mathbf{1}}$ XXXXXX ZH Revit Integrated Insert Rangehood 1 Rhino Integrated Insert Rangehood $\overline{\mathbf{1}}$ Sketchup Integrated Insert Rangehood $\overline{\mathbf{1}}$ User Guide Integrated Rangehood \downarrow

Where applicable:

50179

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.