QUICK REFERENCE GUIDE > RS6009SBL1

# 60cm Series 9 Integrated Beverage Centre

Series 9 | Integrated

Elevate your beverage storage with our panel-ready Integrated Beverage Centre. Ideal for wine, craft beer and more, it's perfect for any space within your home.


- Integrates into any setting within the home, from the bar to the master suite - the choices are endless
- Spacious 129L capacity, with full-depth wine shelf that can accommodate up to seven bottles
- Adjustable temperature control helps to keep drinks at the ideal temperature
- Panel ready and flush fit, with 4mm gaps and no visible hinges or grilles

#### **DIMENSIONS**

 Height
 864 - 900 mm

 Width
 592 mm

 Depth
 576 mm



#### **FEATURES & BENEFITS**

#### Complete Design Freedom

This versatile under-counter beverage centre brings increased cooling capability to any space, from kitchens to home bars, rumpus rooms to home cinemas. Compact and stylish, it carefully stores a selection of beverages, from cans to beer bottles or up to seven bottles of wine in a custom rack. Pair it perfectly with our under-counter wine cabinet to create an entertainer's dream set-up.

#### **Customised Drink Storage**

The beverage centre is designed to store a selection of beverages, from cans to beer bottles, or bottles of wine in a custom rack. Full extension shelving makes it simple to see and select between a pale ale or pilsner, sauvignon blanc or chardonnay.

# Flexible Storage

The beverage rack includes a slideable shelf divider that moves to securely hold bottles and cans to avoid tipping, or can be removed for large items. The custom wine rack carefully cradles and displays up to seven bottles of wine.

#### **Precise Temperature Control**

Set the temperature in each zone to between 2°C and 14°C depending on your needs, or use one of our five preset modes: Fridge, Beverage, Sparkling, White Wine or Pantry to store a range of drinks at the ideal temperature.

#### Seamless Fit

The beverage centre is designed to fit flush, with only 4mm gaps between surrounding cabinetry, and no visible hinges or grilles.

#### Intuitive Control

Temperature control at your fingertips. Adjust the temperature of your beverage centre through intuitive touch controls, or remotely using the SmartHQ™ app through Wi-Fi connectivity.

#### **Design Flexibility**

This panel-ready model means you can hide your beverage centre seamlessly behind your custom cabinetry for more flexibility, or choose to draw attention with our optional stainless steel door panel. Also available is a model with a tempered glass door, allowing visibility into your refrigerator.

# **SPECIFICATIONS**

#### Accessories (included)

Hinge change (from left hinge to right hinge)

#### Accessories (sold separately)

QUICK REFERENCE GUIDE > RS6009SBL1

Door panel set stainless steel	Left hinge (Solid) RD6009L, Right hinge (Solid) RD6009R
Handle kit Classic	AHCLRD09
Handle kit Contemporary round, aluminium	AHSRD09
Handle kit Contemporary square fine, aluminium	AHD5RD09
Handle kit Contemporary square fine, black	AHD5RD09B
Joiner kit	AJRS09LR
Toe kick stainless steel 1200mm	AKRS12010
Toe kick stainless steel 600mm	AKRS06010
Capacity Volume	129 L
volume	
Controls	
Electronic interface	•
Interior light	•
Features	
Cantilevered glass shelves	1
Door alarm	•
Front levelling feet	•
Full extension beverage shelf	•
Full extension wine storage rack	•
Keylock	•
LED lighting	•
SmartTouch control panel	•
Soft close doors	•

Variable temperature control	
Performance	
ActiveSmart™ technology	
Adaptive defrost	
Frost free	
Noise emissions	31 dB
Refrigerator temperature range	2-14 degree Celsiu
Sabbath mode	
Variable temperature zones	
Power requirements	
Amperage	10 /
Supply frequency	50 H
capply frequency	

# Product dimensions

Depth	576 mm
Height	864 - 900 mm
Width	592 mm
SKU	26719

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

### Other product downloads available at fisherpaykel.com

↓ 2D-DWG Integrated Refrigeration - K08 Hinge

<u>*</u>	25 2 We miegratea Kemigeration - Kee innige
$\underline{\downarrow}$	2D-DXF Integrated Refrigeration - K08 Hinge
$\underline{\downarrow}$	2D-DXF Integrated Refrigeration - Panel Preparation
$\underline{\downarrow}$	Declaration of Conformity ZH
$\underline{\downarrow}$	Energy Label ZH
$\underline{\downarrow}$	Installation Guide EN
$\underline{\downarrow}$	Installation Guide ZH
$\overline{\bot}$	Planning Guide Wine Cabinet & Beverage Centre
$\overline{\bot}$	Planning Guide ZH
$\overline{4}$	Rhino 6
$\overline{\underline{\downarrow}}$	Sketchup 8
$\overline{\bot}$	User Guide Integrated Beverage Centre EN
<u>T</u>	User Guide ZH

# Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

**QUICK REFERENCE GUIDE >** RS6009SBL1 Date: 14.05.2025 > 3

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.