QUICK REFERENCE GUIDE > RS7621WLUE1

76.2cm Series 11 Integrated Refrigerator Freezer, Ice & Water

Series 11 | Integrated

Panel Ready | Left hinge



Experience the pinnacle of refrigeration design with our most advanced model. Featuring a left hinge and an elegant interior, this Column embodies premium functionality and style. Designed to optimise energy efficiency, it seamlessly integrates alone or paired with another Column.

- With a premium interior for a refined look and feel, this model is the highlight of our Integrated Columns collection
- · Designed to optimise energy performance and efficiency

- Flexible storage with two Variable Temperature Zones: choose Pantry, Fridge, Soft Freeze or Freezer mode
- Mix and match columns, install separately or pair, and customise with cabinetry or stainless steel panels

DIMENSIONS

Height 2134 mm
Width 756 mm
Depth 610 mm



FEATURES & BENEFITS

Premium interior

Our Series 11 Columns are designed with a premium interior that balances form and function. Every element, from the seamless finish to the considered interior lighting, creates a sleek, understated aesthetic that integrates effortlessly into any kitchen.

Clever energy

With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.

Variable Temperature Zones

When it comes to optimal food preservation, one temperature doesn't fit all. With Variable Temperature Zones, you can create the ideal climate for different types of food and drinks. Switch a compartment to Fridge, Pantry, or Chill Mode for everyday convenience, or adjust the settings to provide extra capacity when needed.

Mix & Match

Integrated Column Refrigeration offers the flexibility to mix and match. Choose from different-sized Column Fridges and Freezers that can be installed individually or paired together. Complete the look with your own customized door panels to blend seamlessly with your kitchen cabinetry, or purchase our stainless steel door panels.

Perfect Fit

These models fit flush and have only 3mm gaps around them with no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

Deep Freeze Mode

Deep freezing (-25°C) halts bacterial activity, allowing food to be stored safely for extended periods. Freezing food quickly helps to protect quality and retain nutrients, ensuring they are preserved when defrosted.

Easy install

QUICK REFERENCE GUIDE > RS7621WLUE1 Date: 14.04.2025 > 2

Integrated Column Refrigerators and Freezers have been developed to make installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front-adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Volume refrigerator

Accessories (sold separately)

| Accessories (sold separately) | |
|---|--------------|
| Door panel stainless steel Left hinge 762mm | RD7621WLD |
| Door panel stainless steel Right hinge 762mm | RD7621WRD |
| Handle kit Classic | AHCLRD7621W |
| Handle kit Contemporary round, aluminium | AHSRD7621W |
| Handle kit Contemporary square fine, aluminium | AHD5RD7621W |
| Handle kit Contemporary square fine, black | AHD5RD7621WB |
| Handle kit Professional round flush | AHP3RD7621W |
| Joiner kit | AJ-RS21LR |
| Toe kick stainless steel 1372mm | AKRS13710 |
| Toe kick stainless steel 1524mm | AKRS15210 |
| Toe kick stainless steel 1981mm | AKRS19810 |
| Toe kick stainless steel 2134mm | AKRS21310 |
| Toe kick stainless steel 762mm | AKRS7610 |
| Capacity | |
| Total gross capacity | 482 L |
| Volume | 449 L |
| Volume freezer | 151 L |
| | |

298 L

Dual evaporator

Frost free freezer

| Features | | Humidity control system | • |
|--|---|--|---------------------------------|
| Adjustable door shelves | 4 | Inverter controlled compressor | • |
| Covered door shelves | 1 | Sabbath mode | • |
| Door alarm | • | Variable food modes | Pantry; Fridge; Soft freeze; |
| Gallon door shelves | 1 | | Freezer |
| LED bin lighting | • | Variable temperature zones | 2 |
| LED ceiling lighting | • | | |
| LED side lighting | • | | |
| SmartTouch interface at counter height | • | Power requirements | |
| Stackable bottle holders | 4 | Rated current | 10 A |
| Ultra slim water dispenser | • | Supply frequency | 50 Hz |
| | | Supply voltage | 230 V |
| Automatic ice maker | • | Product dimensions | |
| Automatic ice maker | • | Product dimensions | |
| Door alarm | • | Depth | 610 mm |
| Freezer bins | 2 | Height | 2134 mm |
| Freezer trays | 1 | Width | 756 mm |
| Ice Boost | • | | |
| LED bin lighting | • | | |
| LED ceiling lighting | • | Warranty | |
| LED side lighting | • | Parts and labour | 1 year |
| Max Cold | • | | |
| SmartTouch interface at counter height | • | | |
| | | SKU | 26929 |
| Performance | | | |
| ActiveSmart™ Foodcare | • | The product dimensions and specifications in this page apply to the specific | |
| Adaptive defrost | • | product and model. Under our policy of continue dimensions and specifications may change at an | |
| B 1 | | and the second s | , |

check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel

Appliances Ltd 2020

QUICK REFERENCE GUIDE > RS7621WLUE1

Other product downloads available at fisherpaykel.com

↓ 2D-DWG Integrated Refrigeration - K05 Hinge

↓ 2D-DWG Integrated Refrigeration

2D-DXF Integrated Refrigeration - K05 Hinge

↓ 2D-DXF Integrated Refrigeration

↓ 2D-DXF Panel Preparation

↓ Declaration of Conformity ZH

↓ Energy Label

↓ Service & Warranty

↓ Planning Guide (Chinese)

↓ Planning Guide (English)

Revit 20 Refrigerator Freezer

↓ Rhino 6 Refrigerator Freezer

↓ SketchUp 8 Refrigerator Freezer

↓ User Guide (English)

User Guide (Chinese)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.