
76cm Series 11 Integrated Column Refrigerator

Series 11 Integ	grated	
Panel Ready Le	ft hinge	

Install it separately or pair with another Column for true design freedom – this model is left hinge with stainless steel interior.

- ActiveSmart technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS



FEATURES & BENEFITS

Variable Temperature Zones

When it comes to optimal food preservation, one temperature does not fit all. Create the perfect climate for different food and drink types using Variable Temperature Zones. Change a compartment to Fridge, Pantry or Chill Mode for maximum everyday convenience, or change modes for additional capacity when you need it.

Pantry Mode

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Clever Energy

Our ActiveSmart Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigeratoruses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)

FISHER & PAYKEL

QUICK REFERENCE GUIDE > RS7621SLK1

Door panel stainless steel Left hinge 762mm	RD7621L10D
Door panel stainless steel Left hinge 762mm	RD7621L10D
Door panel stainless steel Right hinge 762mm	RD7621R10D
Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF
Handle kit Contemporary square fine, aluminium	AHD5RDSF
Handle kit Contemporary square fine, black	AHD5RDSFB
Handle kit Professional round flush	AHP3RDSF
Joiner kit	AJ-RS21LR
Toe kick stainless steel 1220mm	AKRS12210
Toe kick stainless steel 1372mm	AKRS13710
Toe kick stainless steel 1524mm	AKRS15210
Toe kick stainless steel 1981mm	AKRS19810
Toe kick stainless steel 2134mm	AKRS21310
Toe kick stainless steel 762mm	AKRS7610

Capacity

Total gross capacity	498 L
Volume	463 L
Volume refrigerator	463 L

Consumption

Adjustable door shelves

Energy rating	Grade 1
Energy usage	0.49kWh/24h
Features	

DSF	Gallon door sholyos
DSF	Gallon door shelves
DSF	LED bin lighting
	LED ceiling lighting
SFB	LED side lighting
DSF	SmartTouch interface at counter height
21LR	Stackable bottle holders
2210	
3710	
5210	Freezer Features
9810	LED bin lighting
1310	LED ceiling lighting
7610	LED Lighting
	LED side lighting
	SmartTouch interface at counter height
98 L	
63 L	Installation Dimensions
63 L	Minimum inside width of cabinetry frame
	Minimum internal depth of cabinetry
	Minimum internal height of cabinetry
de 1	
′24h	Performance
	ActiveSmart™ Foodcare
	Adaptive defrost
	Dual evaporator
4	Frost free
7	

Adjustable glass shelves

Covered door shelves

Door alarm Front levelling feet

Frost free freezer	
Humidity control system	
Inverter controlled compressor	
Noise emissions	
Noise emissions class	
Sabbath mode	
Variable temperature zones	

Power requirements	
Rated current	10 A
Supply frequency	50 Hz
Supply voltage	230 V

Product dimensions

4

1

.

1

4

٠

٠

.

762 mm 635 mm 2134 mm

Depth	610 mm
Height	2134 mm
Height to top of cabinet	756 mm
Width	756 mm

156 kg
133 kg

SKU		25673

FISHER & PAYKEL

QUICK REFERENCE GUIDE > RS7621SLK1

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

Other product downloads available at fisherpaykel.com

- 👃 🛛 Energy Label
- ↓ Installation Guide Toe Kick
- Revit Integrated Column Refrigerator
- Rhino Integrated Column Refrigerator
- Rhino Integrated Column Refrigerator with Door Panel and Contemporary Round Handle
- ↓ Rhino Integrated Column Refrigerator with Door Panel and Contemporary Square Handle
- Restriction of Hazardous Substances
- Sketchup Integrated Column Refrigerator
- Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Round Handle
- Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Square Handle
- 👃 🛛 🕅 ZH

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.