

76cm Series 11 Integrated Column Freezer, Ice

Series 11 | Integrated




<p>Install it separately or pair with another Column for true design freedom – this model is right hinge with stainless steel interior.</p>

- ActiveSmart technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage
- Internal ice maker with boost for busy times
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	2134 mm
Width	756 mm
Depth	610 mm



FEATURES & BENEFITS

Variable temperature zones

There's more than one way to freeze food, and different freezing temperatures and techniques affect food care – and your levels of convenience – in different ways. Optimal freezing is a question of what you're storing, how fresh it is, and when you plan to consume it. Change a compartment to Soft Freeze to enjoy maximum everyday convenience, or to Freeze Mode or Deep Freeze Mode to retain natural goodness for future use.

Deep Freeze Mode

Deep freezing (-25°C) allows food to be stored for months or even years with temperatures that halt bacterial activity. Freezing food quickly is the key to protecting quality and retaining nutrients, so they are not lost when defrosting.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Clever Energy

Our ActiveSmart Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (included)

Joiner kit	AJ-RS21LR	Adjustable door shelves	4	ActiveSmart™ Foodcare	•
Accessories (sold separately)	RD7621L10D	Adjustable glass cantilevered shelves	•	Adaptive defrost	•
		Adjustable glass shelves	3	Dual evaporator	•
		Door alarm	•	Frost free	•
		LED bin lighting	•	Inverter controlled compressor	•
		LED ceiling lighting	•	Noise emissions	42 dBA
	RD7621R10D	LED side lighting	•	Noise emissions class	D
		SmartTouch interface at counter height	•	Sabbath mode	•
	AHCLRDSF	Freezer Features	•	Variable food modes	Soft freeze; Freeze; Deep Freeze
	AHSRDSF			Variable temperature zones	2
	AHD5RDSF				
AHD5RDSFB					
AHP3RDSF					
Joiner kit	AJ-RS21LR	Fast freeze	•	Power requirements	
Toe kick stainless steel 1372mm	AKRS13710	Freezer bins	4	Connection power	330W
Toe kick stainless steel 1524mm	AKRS15210	Ice Boost	•	Rated current	10 A
Toe kick stainless steel 762mm	AKRS7610	LED bin lighting	•	Supply frequency	50 Hz
Water filter replacement	847200 - FWC3	LED ceiling lighting	•	Supply voltage	220 - 240 V
Capacity	477 L	LED side lighting	•	Product dimensions	
		SmartTouch interface at counter height	•		
		Installation Dimensions			
Total gross capacity	477 L	Cabinetry height with included trim kit	2134 mm	Depth	610 mm
Total net volume	442L	Minimum inside width of cabinetry frame	762 mm	Height	2134 mm
Volume freezer	442 L	Minimum internal depth of cabinetry	635 mm	Width	756 mm
Consumption	Grade 1	Minimum internal height of cabinetry	2134 mm	Product information	
		Performance			
Features				Packaged weight	156 kg
				Unpackaged weight	133 kg

SKU 25681

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- [↓ DXF](#)
- [↓ Energy Label](#)
- [↓ Water Filter Replacement Instructions - Parts 847200 and 847201 \(English\)](#)
- [↓ Installation Guide - Toe Kick \(English\)](#)
- [↓ Water Filter Replacement Instructions - Parts 847200 and 847201 \(Chinese\)](#)
- [↓ Installation Guide \(Chinese\)](#)
- [↓ Planning Guide \(Chinese\)](#)
- [↓ Planning Guide \(English\)](#)
- [↓ Revit](#)
- [↓ Rhino](#)
- [↓ Rhino Appliance with Door Panel and Contemporary Round Handle](#)
- [↓ Rhino Appliance with Door Panel and Contemporary Square Handle](#)
- [↓ Restriction of the Use of Hazardous Substances \(Chinese\)](#)
- [↓ SketchUp](#)
- [↓ SketchUp Appliance with Door Panel and Contemporary Round Handle](#)
- [↓ SketchUp Appliance with Door Panel and Contemporary Square Handle](#)
- [↓ User Guide \(Chinese\)](#)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.