

61cm Series 11 Integrated Column Refrigerator

Series 11 | Integrated

Panel Ready | Right Hinge




<p>Install it separately or pair with another Column for true design freedom – this model is right hinge with stainless steel interior.</p>

- ActiveSmart technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

| | |
|--------|---------|
| Height | 2134 mm |
| Width | 603 mm |
| Depth | 610 mm |



FEATURES & BENEFITS

Variable Temperature Zones

When it comes to optimal food preservation, one temperature does not fit all. Create the perfect climate for different food and drink types using Variable Temperature Zones. Change a compartment to Fridge, Pantry or Chill Mode for maximum everyday convenience, or change modes for additional capacity when you need it.

Pantry Mode

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Clever Energy

Our ActiveSmart Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)

| | | | |
|--|------------|---|---|
| Handle kit Classic | AHCLRDSF | LED bin lighting | • |
| Handle kit Contemporary round, aluminium | AHSRDSF | LED ceiling lighting | • |
| Handle kit Contemporary square fine, aluminium | AHD5RDSF | LED side lighting | • |
| Handle kit Contemporary square fine, black | AHD5RDSFB | Stackable bottle holders | 4 |
| Handle kit Professional round flush | AHP3RDSF | | |
| Joiner kit | AJ-RS21LR | | |
| Stainless steel door panel | RD6121R10D | | |
| Toe kick stainless steel 1067mm | AKRS10710 | | |
| Toe kick stainless steel 1220mm | AKRS12210 | | |
| Toe kick stainless steel 1372mm | AKRS13710 | | |
| Toe kick stainless steel 1828mm | AKRS18310 | | |
| Toe kick stainless steel 1981mm | AKRS19810 | | |
| Toe kick stainless steel 610mm | AKRS06110 | | |
| | | | |
| Capacity | | | |
| Total gross capacity | 383 L | | |
| Total net volume | 351L | | |
| Volume | 351 L | | |
| Volume refrigerator | 351 L | | |
| | | | |
| Consumption | | | |
| Energy rating | Grade 1 | | |
| | | | |
| Features | | | |
| Adjustable door shelves | 4 | | |
| Covered door shelves | 1 | | |
| Door alarm | • | | |
| Gallon door shelves | 1 | | |
| | | Installation Dimensions | |
| | | Minimum inside width of cabinetry frame | 610 mm |
| | | Minimum internal depth of cabinetry | 635 mm |
| | | Minimum internal height of cabinetry | 2134 mm |
| | | | |
| | | Performance | |
| | | ActiveSmart™ Foodcare | • |
| | | Adaptive defrost | • |
| | | Dual evaporator | • |
| | | Frost free | • |
| | | Humidity control system | • |
| | | Inverter controlled compressor | • |
| | | Noise emissions | 42 dBA |
| | | Noise emissions class | D |
| | | Sabbath mode | • |
| | | Variable temperature zones | 2 |
| | | | |
| | | Power requirements | |
| | | Connection power | 330W |
| | | Rated current | 10 A |
| | | Supply frequency | 50 Hz |
| | | Supply voltage | 220 - 240 V |
| | | | |
| | | Product dimensions | |
| | | Depth | 610 mm |
| | | Height | 2134 mm |
| | | Width | 603 mm |
| | | | |
| | | Product information | |
| | | Packaged weight | 137 kg |
| | | Unpackaged weight | 117 kg |
| | | | |
| | | SKU | 25674 |
| | | | |
| | | The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020 | |
| | | Other product downloads available at fisherpaykel.com | |
| | | ↓ | DXF |
| | | ↓ | Energy Label |
| | | ↓ | Installation Guide - Toe Kick (English) |
| | | ↓ | Installation Guide (English) |
| | | ↓ | Water Filter Replacement Instructions - Parts 847200 and 847201 (Chinese) |
| | | ↓ | Installation Guide (Chinese) |
| | | ↓ | Planning Guide (Chinese) |
| | | ↓ | Planning Guide (English) |
| | | ↓ | Revit |
| | | ↓ | Rhino |

- [↓](#) Rhino Appliance with Door Panel and Contemporary Round Handle
- [↓](#) Rhino Appliance with Door Panel and Contemporary Square Handle
- [↓](#) Restriction of the Use of Hazardous Substances (Chinese)
- [↓](#) SketchUp
- [↓](#) SketchUp Appliance with Door Panel and Contemporary Round Handle
- [↓](#) SketchUp Appliance with Door Panel and Contemporary Square Handle
- [↓](#) User Guide (Chinese)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.