
**QUICK REFERENCE GUIDE >** RS6009V2R1 Date: 14.05.2025 > 1

# 60cm Series 9 Integrated Wine Cabinet

Series 9 | Integrated




Designed for wine lovers, this under-counter, panel-ready wine cabinet seamlessly blends into any space of the evolving home. With dual temperature zones and specialised modes, it provides optimal conditions for all wine types.

- With two independent temperature zones to cater for different wine varieties
- Four specialised wine modes for Red, White, Sparkling, and Cellar wines
- Accommodates up to 35 bottles, providing ample space for a diverse collection

 Panel ready and flush fit, with 4mm gaps and no visible hinges or grilles

#### **DIMENSIONS**

Height 864 mm
Width 592 mm
Depth 576 mm



# **FEATURES & BENEFITS**

# **Complete Design Freedom**

This sleek under-counter wine cabinet enhances any space, from kitchens to home bars, rumpus rooms to home cinemas. Compact and stylish, it is a sophisticated, space-efficient solution for wine enthusiasts looking to add elegance and accessibility to their home. Pairs perfectly with our Beverage Centre to create an entertainer's dream set-up.

#### Optimal Wine Care

To provide the perfect storage environment for your wine collection, this cabinet has been engineered to maintain a consistent temperature across two independently-controlled zones. An activated carbon filter in each compartment clears the air of pollutants, ensuring your wine is perfectly preserved.

## **Precise Temperature Control**

Four tailored wine modes offer optimal temperatures for serving and cellaring different types of wine: Red, White, Sparkling, and Cellar. These modes ensure each variety can receive the care it needs to be enjoyed at its best. Manual temperature adjustments are possible in 0.5°C increments between 6-18°C.

#### Reduced Vibration

Vibration can dull flavour and cause other unwanted issues in wine. This cabinet features a quiet, low-vibration compressor, full-extension slides with white oak shelving, and other strategically chosen absorptive materials to help carefully maintain the flavour profile of every drop.

# Seamless Fit

These panel-ready models are designed to fit flush, with only 4mm gaps between the wine cabinet and surrounding cabinetry, and no visible hinges or grilles. They can be seamlessly hidden behind cabinetry, or choose our tinted glass model instead to put your collection proudly on display.

# Simple Installation

Our Integrated products are easy to install, whether you are renovating your kitchen or designing a new one. Adjustable front and rear feet allow for uneven floors alongside adjustable door panels that can be customised to match your kitchen. These models are designed to easily slide into place under your counter – a perfect fit for European-design kitchens.

### **SPECIFICATIONS**

**QUICK REFERENCE GUIDE >** RS6009V2R1 Date: 14.05.2025 > 2

		Low vibration compressor	•
Accessories (included)  Hinge change (from right hinge to left hinge)  •		Removable solid oak shelves	5
		Soft-mounted wine racks	•
		Telescopic slide out oak shelves	5
Accessories (sold separately)		Performance	
Door panel stainless steel	Left (Solid)	ActiveSmart™ wine care	•
	RD6009L, Right (Solid) RD6009R	Air circulating fans	•
Handle kit Classic	AHCLRD09	Door opening	right hand hinge
Handle kit Contemporary round	AHSRD09	Dual evaporator	•
Handle kit Contemporary square fine, aluminium	AHD5RD09	Dual Zone	•
		Noise emissions	34 dBA
Handle kit Contemporary square fine, black	AHD5RD09B	Sabbath mode	•
Joiner kit	AJRS09LR	Temperature range	6-18 degrees
Toe kick stainless steel 1200mm	AKRS12010		Celcius
Toe kick stainless steel 600mm	AKRS06010	Variable temperature zones	2
Wine display label Kit (14 labels with white pencil)	ALV14	Variable wine modes	Red, White, Sparkling, Cellar
Wine filter odour kit	863974		
		Power requirements	
Capacity		Rated current	10 A
Number of bottles	35	Supply frequency	50 Hz
		Supply voltage	220-240 V
Features			
Air filter lower compartment	•	Product dimensions	
Air filter upper compartment	•	Depth	576 mm
Door alarm	•	Height	864 mm
Full extension storage racks	5	Width	592 mm

LED lighting

SKU 26717

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

# Other product downloads available at fisherpaykel.com

$\underline{\downarrow}$	2D-DWG Integrated Refrigeration - K08 Hinge
$\overline{ullet}$	2D-DXF Integrated Refrigeration - K08 Hinge
$\overline{ullet}$	2D-DXF Integrated Refrigeration - Panel Preparation
$\underline{\downarrow}$	Declaration of Conformity ZH
$\underline{\downarrow}$	Energy Label ZH
$\overline{\downarrow}$	Installation Guide EN
$\overline{ullet}$	Installation Guide ZH
$\overline{\downarrow}$	Planning Guide Wine Cabinet & Beverage Centre
$\overline{ullet}$	Planning Guide ZH
	Rhino 6 Integrated Wine Cabinet
$\overline{\uparrow}$	Sketchup 8
$\overline{\downarrow}$	User Guide Integrated Wine Cabinet EN
$\overline{\downarrow}$	User Guide ZH

# Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

**QUICK REFERENCE GUIDE >** RS6009V2R1 Date: 14.05.2025 > 3

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.