QUICK REFERENCE GUIDE > RS6121WRUE1

61cm Series 11 Integrated Refrigerator Freezer, Ice & Water

Series 11 | Integrated

Panel Ready | Right Hinge



Experience the pinnacle of refrigeration design with our most advanced model. Featuring a right hinge and an elegant interior, this Column embodies premium functionality and style. Designed to optimise energy efficiency, it seamlessly integrates alone or paired with another Column.

- With a premium interior for a refined look and feel, this model is the highlight of our Integrated Columns collection
- · Designed to optimise energy performance and efficiency


- Flexible storage with two Variable Temperature Zones: choose Pantry, Fridge, Soft Freeze or Freezer mode
- Mix and match columns, install separately or pair, and customise with cabinetry or stainless steel panels

DIMENSIONS

 Height
 2134 mm

 Width
 603 mm

 Depth
 610 mm



FEATURES & BENEFITS

Premium interior

Our Series 11 Columns are designed with a premium interior that balances form and function. Every element, from the seamless finish to the considered interior lighting, creates a sleek, understated aesthetic that integrates effortlessly into any kitchen.

Clever energy

With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.

Variable Temperature Zones

When it comes to optimal food preservation, one temperature doesn't fit all. With Variable Temperature Zones, you can create the ideal climate for different types of food and drinks. Switch a compartment to Fridge, Pantry, or Chill Mode for everyday convenience, or adjust the settings to provide extra capacity when needed.

Mix & Match

Integrated Column Refrigeration offers the flexibility to mix and match. Choose from different-sized Column Fridges and Freezers that can be installed individually or paired together. Complete the look with your own customized door panels to blend seamlessly with your kitchen cabinetry, or purchase our stainless steel door panels.

Perfect Fit

These models fit flush and have only 3mm gaps around them with no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

Deep Freeze Mode

Deep freezing (-25°C) halts bacterial activity, allowing food to be stored safely for extended periods. Freezing food quickly helps to protect quality and retain nutrients, ensuring they are preserved when defrosted.

Easy install

Integrated Column Refrigerators and Freezers have been developed to make installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front-adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (sold separately)	
Door panel stainless steel Left hinge 610mm	RD6121WLD
Door panel stainless steel Right hinge 610mm	RD6121WRD
Handle kit Classic	AHCLRD6121W
Handle kit Contemporary round, aluminium	AHSRD6121W
Handle kit Contemporary square fine, aluminium	AHD5RD6121W
Handle kit Contemporary square fine, black	AHD5RD6121WB
Handle kit Professional round flush	AHP3RD6121W
Joiner kit	AJ-RS21LR
Toe kick stainless steel 1067mm	AKRS10710
Toe kick stainless steel 1220mm	AKRS12210
Toe kick stainless steel 1372mm	AKRS13710
Toe kick stainless steel 1828mm	AKRS18310
Toe kick stainless steel 1981mm	AKRS19810
Toe kick stainless steel 610mm	AKRS06110
Capacity	
Volume	342 L
Volume freezer	115 L
Volume refrigerator	227 L

Features			
Adjustable door shelves	4		
Adjustable glass cantilevered shelves Door alarm Front levelling feet Full extension runners Internal water dispenser Keylock LED ceiling lighting Soft-close fruit and vegetable bins			
		Water Filter	847200
		Automatic ice maker Bottle chill	
		Automotic ice medica	
		Bottle chill	
		Door alarm	
		Fast freeze	,
		Ice bin and scoop	
Ice Boost			
Performance			
Performance ActiveSmart™ Foodcare			
ActiveSmart™ Foodcare			
ActiveSmart™ Foodcare Adaptive defrost			
ActiveSmart™ Foodcare Adaptive defrost Dual evaporator			
ActiveSmart™ Foodcare Adaptive defrost Dual evaporator Frost free	,		

Power requirements	
Rated current	10 A
Supply frequency	50 Hz
Supply voltage	230 V
Product dimensions	
Depth	610 mm
Height	2134 mm
Width	603 mm
Warranty	
Parts and labour	1 year
SKU	26921
The product dimensions and specifications in this page approduct and model. Under our policy of continuous improdimensions and specifications may change at any time. You check with Fisher & Paykel's Customer Care Centre to enscorrectly describes the model currently available. © Fisher Appliances Ltd 2020	ovement, these ou should therefore sure this page

Other product downloads available at fisherpaykel.com

2D-DWG Integrated Refrigeration - K05 Hinge

2D-DXF Integrated Refrigeration - K05 Hinge

2D-DWG Integrated Refrigeration

2D-DXF Integrated Refrigeration 2D-DXF Panel Preparation QUICK REFERENCE GUIDE > RS6121WRUE1 Date: 14.04.2025 > 3

- Declaration of Conformity ZH
- Energy Label (Chinese)
- Service & Warranty
- Planning Guide (Chinese) Planning Guide (English)
- - Revit 20 Refrigerator Freezer Rhino 6 Refrigerator Freezer
- - SketchUp Refrigerator Freezer
- - User Guide (English)
- - User Guide (Chinese)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.