
QUICK REFERENCE GUIDE > DD60DHI9

Series 9, Integrated Double DishDrawer Dishwasher

Series 9 | Integrated



Integrating into your kitchen design seamlessly, each drawer fits a half load that you can load and wash independently.


- · Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options
- Flexible racking can be folded down to fit bigger dishes
- Customise with your own front panel and handle to match your kitchen cabinetry, or choose our stainless steel panel

DIMENSIONS

 Height
 820 - 880 mm

 Width
 599 mm

 Depth
 553 mm



FEATURES & BENEFITS

Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

Independent Wash

With the ability to use both drawers independently and select different wash programs, the DishDrawer™ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

True Half Load

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can run simultaneously to accommodate a variety of loads.

Quick, Sanitise And Extra Dry Options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock To Pause

These DishDrawer™ Dishwashers have a knock to pause function – a knock on the front panel will pause the dishwasher.

Quiet Performer

Running at a very low decibel rating, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket

Kickstrip

true

Knife clip and multipurpose clip

•

Accessories (sold separately)

Door panel black stainless steel ADD60DPB

Door panel recessed handle black stainless steel

Door panel recessed handle matte black glass

ADDD60DZB

QUICK REFERENCE GUIDE > DD60DHI9 Date: 06.06.2025 > 2

Door panel recessed handle stainless steel	ADDD60DNX	Features		Wash Programs		
Door panel stainless steel	ADDD60DPX	Built-in water softener	•	Delicate	•	
Handle kit Contemporary square fine, aluminium	AHD5DDDW60S	Fan assisted drying	•	Eco	•	
Handle kit Contemporary square fine, black	AHD5DDDW60B	Flood protection	•	Fast	•	
Fidingle kit contemporary square line, black. Albababaroob		Flow through detergent dispenser	•	Heavy	•	
		Motor type	BLDC	Medium	•	
Capacity and loading		Quiet operation	•	Rinse	•	
Accommodates round plates up to	280mm	SmartDrive™ technology	•	Wash programs	6	
Adjustable height, foldable cupracks	•					
Fold down tines	•	Performance		Water connection		
Pitch adjustable tines	•					
Place settings	16	Noise on standard cycle top drawer	43 dBA	Water pressure	100kPa - 1000kPa	
Place settings per drawer	8			Water supply	3/4" BSP (20mm) Connector Water	
		Power requirements			Inlet Hose	
		•	10.4			
Consumption		Amperage	10A			
Cleaning Index	1.16	Supply frequency	50Hz	SKU	83030	
Drying Index	0.97	Supply voltage	220 - 240V			
Energy consumption	0.61kWh/cycle per drawer			The product dimensions and specification	ons in this page apply to the specific	
Water consumption	8L per drawer	Product dimensions		product and model. Under our policy of continuous improvement, these		
		Depth	553 mm		dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page	
		Height	820 - 880 mm	correctly describes the model currently available. © Fisher & Paykel		
Controls		Width	599 mm	Appliances Ltd 2020		
Electronic fault/Diagnostic indicator	•					
End of cycle beeps	•			Other product downloads available	le at fishernavkel.com	
Energy saving delay start option of up to 12 hours	•	Wash Program Modifiers		other product downloads available	ic at hisher paykencom	
Internal wash selector	•	Extra Dry	•	↓ DWG		
Keylock	•	Quick	•	<u>↓</u> DXF		
Knock to pause	•	Sanitise	•	↓ Installation Guide (English)		
Rinse aid indicator light	•	Wash modifiers	3			

QUICK REFERENCE GUIDE > DD60DHI9

 $\overline{\mathbf{\Lambda}}$

Planning Guide (English)

<u>↓</u>

Quick Start Guide (Chinese)



Revit



SketchUp

<u>_</u>

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.