

60cm Series 9 Minimal Compact Combi-Steam Oven

Series 9 | Minimal




Reduce the need for oils and fats with steam cooking, paired with a convection oven for cooking flexibility.

- 36L total capacity
- Cooking flexibility with nine oven functions, including five Steam functions, Grill and Fan Forced
- Steam cooking allows you to cook a food in its own juices, to retain nutrients and flavour
- Designed to match aesthetically with companion products such as warming drawers, for flexible cooking configurations

DIMENSIONS

Height	458 mm
Width	596 mm
Depth	562 mm



FEATURES & BENEFITS

Sized To Suit

The compact 46cm height means this Combination Steam Oven can be placed almost anywhere. companion products share the same dimensions and can be installed in multiple configurations to suit your kitchen design and preference.

Cooking Flexibility

The Combination Steam Oven allows ingredients to retain their nutrients, moisture content and colouration. With nine oven modes, it doesn't just Steam, but also has Grill and Fan functions.

Easy To Use

An easy to use, intuitive display shows the time and provides useful information about functions along with a refill alert.

Beauty Of Choice

With the choice of a stylish stainless steel or elegant black trim, our companion products help you achieve a coherent kitchen aesthetic that suits your design style.

Easy Cleaning

Cleaning and care of the Combination Steam Oven is easy. Simply wipe the smooth stainless steel interior with a dry cloth after each use.

Safe And Sound

The CoolTouch door is safe to touch from the outside, protecting your hands and the surrounding cabinetry.

SPECIFICATIONS

Accessories (included)

Baking pan	1
Perforated baking tray	1
Wire shelf	1
Wired temperature sensor	1

Accessories (sold separately)

Optional lower trim kit	Part 81662 (478mm)
-------------------------	--------------------

Capacity

Shelf positions	3
Total capacity	36 L

Usable capacity	29 L	Performance		Other product downloads available at fisherpaykel.com	
Water tank capacity	1 L	Grill power	1500 W	↓	DWG
		Steam generator	1800 W	↓	DXF
				↓	Archicad
Cleaning		Power requirements		↓	Archicad Appliance with Bottom Trim
Easy clean stainless steel interior	•	Amperage	15 A	↓	Archicad Appliance with 760mm Trim
Easy to clean formed side racks	•	Supply frequency	50 Hz	↓	Data Sheet (English)
Removable water tank	•	Supply voltage	220 - 240 V	↓	Installation Guide
				↓	Installation Guide (Chinese)
Controls		Product dimensions		↓	Revit
Audio feedback	•	Depth	562 mm	↓	Revit Appliance with Bottom Trim
Automatic cooking/minute timer	•	Height	458 mm	↓	Revit Appliance with 760mm Trim
Celsius/Fahrenheit temperature	•	Width	596 mm	↓	Rhino
Electronic capacitive touch controls	•			↓	Rhino Appliance with Bottom Trim
Electronic oven control	•			↓	Rhino Appliance with 760mm Trim
Intuitive touchscreen display	•			↓	Restriction of the Use of Hazardous Substances (Chinese)
		Safety		↓	Restriction of the Use of Hazardous Substances (Chinese)
Functions		Control panel key lock	•	↓	SketchUp
Fan forced	•	CoolTouch door	•	↓	SketchUp Appliance with Bottom Trim
Fan grill	•			↓	SketchUp Appliance with 760mm Trim
Grill	•			↓	User Guide
Number of functions	9	SKU	81936	↓	User Guide
Ring + grill	•				
Steam + ring	•				
Steam 100 (100°C / 210°F)	•				
Steam 130 (130°C / 265°F)	•				
Steam assist	•				
Steam clean (oven)	•				
		The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020			

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.