QUICK REFERENCE GUIDE > DD60DTX6HI1

Series 11, Integrated Tall Double DishDrawer Dishwasher

Series 11 | Integrated




Integrates seamlessly into kitchen cabinetry. Each drawer features a premium stainless steel interior and operates independently, for flexible washing.

- Eight wash cycles from Heavy to Light, including Auto, 60min and Glassware
- Fits plates up to 310mm, with flexible racking to accommodate other large cookware
- With soft-close drawers, and knock to pause convenience

 Height
 865 - 925 mm

 Width
 599 mm

 Depth
 553 mm



FEATURES & BENEFITS

Seamless Integration

Install your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry. The touch-sensitive control panel is located inside this Integrated model, leaving an uninterrupted exterior that blends seamlessly with surrounding cabinetry.

Ease Of Use

DishDrawer™ Dishwashers are beautiful to use with soft-close drawers. The tall top drawer fits your larger plates and dishes up to 310mm, while the bottom drawer is ideal for small washes. Flexible racking includes height-adjustable cup racks and wine glass supports.

True Half Load

Both drawers fit a true half load. Each drawer operates independently, so you can wash one load while stacking the other drawer, or wash simultaneously on separate cycles.

Flexible Wash Options

Eight wash programs including Auto, 60min and Glassware, while modifiers such as Sanitise, Dry+ and Quiet provide added wash flexibility. The Quiet wash modifier reduces the noise on some cycles while maintaining performance – perfect for late night washing.

Design Quality

Every detail has been carefully crafted using quality materials, from the easy-to-clean stainless steel interior to the spray arm sensor that detects jams for increased wash confidence.

Knock To Pause

For ease-of-use, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher, which can be restarted by using the start button.

Efficient Performance

This DishDrawer™ Dishwasher uses the water it needs without compromising on wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket •

Kickstrip true

Knife clip and multipurpose clip •

DIMENSIONS

QUICK REFERENCE GUIDE > DD60DTX6HI1 Date: 06.06.2025 > 2

Accessories (sold separately)		Energy saving delay start option of up to 12	•	Height	865 - 925 mm
Door panel black stainless steel	ADDD60DTPB	hours		Width	599 mm
Door panel stainless steel	ADDD60DTPX	Internal wash selector	•		
Handle kit Contemporary square fine, aluminium	AHD5DDDW60S	Keylock Knock to pause	•	Wash Program Modifiers	
Handle kit Contemporary square fine, black	AHD5DDDW60B	Rinse aid indicator light	•	Dry +	•
		Spray arm sensing	•	Quiet	
				Sanitise	•
Capacity and loading				Wash modifiers	3
Accommodates round plates up to (lower	280mm	Features		wash modillers	3
drawer)	200111111	Built-in water softener	•		
Accommodates round plates up to (upper drawer)	310mm	Fan assisted drying	•	Wash Programs	
Adjustable height, foldable cupracks	•	Flood protection	•	60 min	•
Fold down tines	•	Flow through detergent dispenser	•	Auto	•
Pitch adjustable tines	•	Internal tub material	Stainless steel	Eco	•
Place settings	16	Quiet operation	•	Glassware	•
Place settings per drawer	8	SmartDrive™ technology	•	Heavy	•
Wine glass supports with stemware grippers	•	Soft close drawer	•	Light	•
				Medium	•
		Performance		Rinse	•
Consumption		Performance		Wash programs	8
Cleaning Index	1.21	Noise on standard cycle top drawer	43 dBA		
Drying Index	1.32				
Energy consumption	0.54kWh/cycle	Dower requirements		Water connection	
Energy rating	Grade 1	Power requirements		Water pressure	100kPa - 1000kPa
Water consumption	6.8L	Amperage	10A	Water supply	3/4" BSP (20mm)
		Supply frequency	50Hz		Connector Water Inlet Hose
		Supply voltage	220 - 240V		illiet riose
Controls					·
Electronic fault/Diagnostic indicator	•	Product dimensions		CIZII	00170
End of cycle beeps	•			SKU	82178
		Depth	553 mm		

QUICK REFERENCE GUIDE > DD60DTX6HI1 Date: 06.06.2025 > 3

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com



DWG



Energy Label



Installation Guide (English)




Planning Guide (English)



Rhino







User Guide (Chinese)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.