

76cm Series 11 Integrated Column Refrigerator

Series 11 | Integrated

Panel Ready | Right Hinge




<p>Install it separately or pair with another Column for true design freedom – this model is right hinge with stainless steel interior.</p>

- ActiveSmart technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Variable Temperature Zone lets you change a compartment to Fridge, Pantry or Chill for optimal storage
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	2134 mm
Width	756 mm
Depth	610 mm



FEATURES & BENEFITS

Variable Temperature Zones

When it comes to optimal food preservation, one temperature does not fit all. Create the perfect climate for different food and drink types using Variable Temperature Zones. Change a compartment to Fridge, Pantry or Chill Mode for maximum everyday convenience, or change modes for additional capacity when you need it.

Pantry Mode

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Clever Energy

Our ActiveSmart Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS


Accessories (sold separately)

Door panel stainless steel Left hinge 762mm	RD7621L10D	Adjustable glass shelves	4	Frost free freezer	•
Door panel stainless steel Right hinge 762mm	RD7621R10D	Covered door shelves	1	Humidity control system	•
Door panel stainless steel Right hinge 762mm	RD7621R10D	Door alarm	•	Inverter controlled compressor	•
Handle kit Classic	AHCLRDSF	Front levelling feet	•	Noise emissions	42 dBA
Handle kit Contemporary round, aluminium	AHSRDSF	Gallon door shelves	1	Noise emissions class	D
Handle kit Contemporary square fine, aluminium	AHD5RDSF	LED bin lighting	•	Sabbath mode	•
Handle kit Contemporary square fine, black	AHD5RDSFB	LED ceiling lighting	•	Variable temperature zones	2
Handle kit Professional round flush	AHP3RDSF	LED side lighting	•		
Joiner kit	AJ-RS21LR	SmartTouch interface at counter height	•		
Toe kick stainless steel 1220mm	AKRS12210	Stackable bottle holders	4		
Toe kick stainless steel 1372mm	AKRS13710			Power requirements	
Toe kick stainless steel 1524mm	AKRS15210			Rated current	10 A
Toe kick stainless steel 1981mm	AKRS19810			Supply frequency	50 Hz
Toe kick stainless steel 2134mm	AKRS21310			Supply voltage	230 V
Toe kick stainless steel 762mm	AKRS7610				
		Freezer Features			
		LED bin lighting	•		
		LED ceiling lighting	•		
		LED Lighting	•	Product dimensions	
		LED side lighting	•	Depth	610 mm
		SmartTouch interface at counter height	•	Height	2134 mm
				Height to top of cabinet	756 mm
				Width	756 mm
Capacity		Installation Dimensions			
Total gross capacity	498 L	Minimum inside width of cabinetry frame	762 mm		
Volume	463 L	Minimum internal depth of cabinetry	635 mm	Product information	
Volume refrigerator	463 L	Minimum internal height of cabinetry	2134 mm	Packaged weight	156 kg
				Unpackaged weight	133 kg
Consumption		Performance			
Energy rating	Grade 1	ActiveSmart™ Foodcare	•		
Energy usage	0.49kWh/24h	Adaptive defrost	•	SKU	25672
		Dual evaporator	•		
Features		Frost free	•		
Adjustable door shelves	4				

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

Other product downloads available at fisherpaykel.com

- [↓](#) 2D-DXF Panel Preparation
- [↓](#) Energy Label
- [↓](#) Installation Guide Toe Kick
- [↓](#) Water Filter Replacement Instructions - Parts 847200 and 847201 - ZH
- [↓](#) Planning Guide (Chinese)
- [↓](#) Revit Integrated Column Refrigerator
- [↓](#) Rhino Integrated Column Refrigerator
- [↓](#) Rhino Integrated Column Refrigerator with Door Panel and Contemporary Round Handle
- [↓](#) Rhino Integrated Column Refrigerator with Door Panel and Contemporary Square Handle
- [↓](#) Restriction of Hazardous Substances
- [↓](#) Sketchup Integrated Column Refrigerator
- [↓](#) Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Round Handle
- [↓](#) Sketchup Integrated Column Refrigerator with Door Panel and Contemporary Square Handle
- [↓](#)  ZH

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.