

# 60cm Series 9 Contemporary Vacuum Seal Drawer


Series 9 | Contemporary



- Prepares food for sous vides cooking, with vacuum sealing for marinating, storing, portioning and resealing.
- Effortless preparation for sous vide cooking
  - Three levels of vacuum and heat sealing for food storage, marinating or portioning
  - Intuitive touch controls for ease of use
  - Part of our suite of companion products, designed to match for flexible configurations

## DIMENSIONS

Height	140 mm
Width	596 mm
Depth	566 mm



## FEATURES & BENEFITS

- Complementary design**  
Our Vacuum Seal Drawer comes with the option of a stylish black glass panel or elegant grey glass panel, for seamless pairing with our Minimal or Contemporary style ovens.
- Three levels of vacuum heat and sealing**  
Vacuum sealed food intensifies flavours, infuses marinades and retains freshness. Effortlessly prepare food for sous vide cooking in optimal conditions.

- Preserve freshness**  
Vacuum sealing creates the ideal conditions for longer food shelf life and storage. Minimal air exposure hinders the growth of bacteria and mould, preventing freezer burn and protecting your food.
- Easy to use**  
This Vacuum Seal Drawer is handle-free, push-to-open for effortless loading and operating. The touch controls are responsive and intuitive for ease of use.

- Reduce food waste**  
Our Vacuum Seal drawers help to extend the lifespan of food by removing excess air, which is the prime reason for spoilage. Vacuum sealing allows you to buy food in bulk and safely seal it for longer shelf life. Our food-grade, BPA-free bags are an excellent storage option — these can be re-used if sealed and cut appropriately.

- Easy to clean**  
The stainless steel interior can be wiped down with a damp cloth for easy cleaning.

## SPECIFICATIONS

<b>Accessories (included)</b>	
External vacuuming accessory kit	<b>Adapter, stopper and tube</b>
Large size BPA-free vacuum seal bags	<b>50 bags, Part 793034</b>
Small size BPA-free vacuum seal bags	<b>50 bags, Part 793033</b>
<b>Capacity</b>	
Maximum vacuum seal bag size	<b>240mm x 350mm</b>
Usable capacity	<b>7.8 L</b>

Usable height	85 mm	Supply voltage	240 V	<a href="#">↓</a> Sketchup
Cleaning		Product dimensions		Where applicable:
Easy clean glass lid	•	Adjustable front door panel to align with surrounding cabinetry	•	All appliances use energy, and energy usage typically generates carbon emissions. <b>Fisher &amp; Paykel Appliances' In-use Energy Carbon Emissions Estimate</b> indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.
Easy clean stainless steel interior	•	Depth	566 mm	
Removable sealing bar and cover	•	Height	140 mm	
		Width	596 mm	
Controls		Safety		Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.
Audio feedback	•	BPA-free vacuum seal bags	100 bags included	
Electronic capacitive touch controls	•	Full extension slides	•	
Maintenance and moisture indicator	•			
Push-to-open drawer	•			
Standby mode	•			
Performance		SKU	84251	
External vacuuming	•	The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020		
Prepare food for sous-vide cooking	•	Other product downloads available at <a href="#">fisherpaykel.com</a>		
Pump power	150	<a href="#">↓</a> 2D-DWG		
Pump pressure	10 Bar	<a href="#">↓</a> 2D-DXF		
Vacuum levels	3	<a href="#">↓</a> Planning Guide (English)		
Vacuum sealing levels	3	<a href="#">↓</a> Revit		
		<a href="#">↓</a> Rhino		
Power requirements				
Amperage	10 A			
Power cord length	1800 mm			
Power outlet	3-prong grounding-type			
Supply frequency	60 Hz			