**QUICK REFERENCE GUIDE >** RS4621FRJE1 Date: 14.04.2025 > 1

# 45.7cm Series 11 Integrated Column Freezer, Ice

Series 11 | Integrated

Panel Ready | Right Hinge



Experience the pinnacle of refrigeration design with our most advanced model. Featuring a right hinge and an elegant interior, this Column embodies premium functionality and style. Designed to optimise energy efficiency, it seamlessly integrates alone or paired with another Column.

- With a premium interior for a refined look and feel, this model is the highlight of our Integrated Columns collection
- · Designed to optimise energy performance and efficiency


- Flexible storage with two Variable Temperature Zones: choose Freeze, Soft Freeze, or Deep Freeze mode
- Mix and match columns, install separately or pair, and customise with cabinetry or stainless steel panels

# **DIMENSIONS**

Height 2134 mm

Width 451 mm

Depth 610 mm



# **FEATURES & BENEFITS**

Premium interior

Our Series 11 Columns are designed with a premium interior that balances form and function. Every element, from the seamless finish to the considered interior lighting, creates a sleek, understated aesthetic that integrates effortlessly into any kitchen.

### Clever energy

With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.

## Variable Temperature Zones

There's more than one way to freeze food, and different temperatures and techniques can affect food care and convenience. Optimal freezing depends on what you're storing, how fresh it is, and when you plan to use it. Switch a compartment to Soft Freeze for everyday convenience, or choose Freeze or Deep Freeze Mode to preserve freshness and retain natural goodness for longer.

#### Mix & Match

Integrated Column Refrigeration offers the flexibility to mix and match. Choose from different-sized Column Fridges and Freezers that can be installed individually or paired together. Complete the look with your own customised door panels to blend seamlessly with your kitchen cabinetry, or purchase our stainless steel door panels.

# Perfect Fit

These models fit flush and have only 3mm gaps around them with no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

# Deep Freeze Mode

Deep freezing (-25°C) halts bacterial activity, allowing food to be stored safely for extended periods. Freezing food quickly helps to protect quality and retain nutrients, ensuring they are preserved when defrosted.

QUICK REFERENCE GUIDE > RS4621FRJE1 Date: 14.04.2025 > 2

| Easy install   |            | Volume                                  | 220 L   | ActiveSmart™ Foodcare          | •                                      |
|--|------------|---|---------|--------------------------------|--|
| Integrated Column Refrigerators and Freezers have been developed to make installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front-adjustable levelling feet and they've been designed to easily slide into place as separate units. |            | Volume freezer                          | 220 L   | Adaptive defrost               | •                                      |
|  |            |   |         | Dual evaporator                | •                                      |
|  |            |   |         | Frost free                     | •                                      |
|  |            | Features                                |         | Frost free freezer             | •                                      |
| SPECIFICATIONS   |            | Adjustable door shelves                 | 4       | Inverter controlled compressor | •                                      |
|  |            | Adjustable glass cantilevered shelves   | •       | Noise emissions                | 42 dBA                                 |
|  |            | Adjustable glass shelves                | 3       | Noise emissions class          | D                                      |
| Accessories (included)   |            | SmartTouch interface at counter height  | •       | Sabbath mode                   | •                                      |
| Joiner kit   | AJ-RS21LR  | Water Filter                            | 847200  | Variable food modes            | Soft freeze;<br>Freeze; Deep<br>Freeze |
| Accessories (sold separately)  |            | Freezer Features                        |         | Variable temperature zones     | 2                                      |
| Door panel stainless steel Left hinge 457mm  | RD4621L10D | Automatic ice maker                     | •       |                                |  |
| Door panel stainless steel Right hinge   | RD4621R10D | Bottle chill                            | •       | Power requirements             |  |
| 457mm  |            | Door alarm                              | •       | Rated current                  | 10 A                                   |
| Handle kit Classic   | AHCLRDSF   | Fast freeze                             | •       | Supply frequency               | 50 Hz                                  |
| Handle kit Contemporary round, aluminium   | AHSRDSF    | Freezer bins                            | 4       | Supply voltage                 | 230 V                                  |
| Handle kit Contemporary square fine, aluminium   | AHD5RDSF   | Ice Boost                               | •       |                                |  |
| Handle kit Contemporary square fine, black   | AHD5RDSFB  | LED bin lighting                        | •       |                                |  |
| Handle kit Professional round flush  | AHP3RDSF   | LED ceiling lighting                    | •       | Product dimensions             |  |
| Joiner kit   | AJ-RS21LR  | LED side lighting                       | •       | Depth                          | 610 mm                                 |
| Toe kick stainless steel 1067mm  | AKRS10710  | SmartTouch interface at counter height  | •       | Height                         | 2134 mm                                |
| Toe kick stainless steel 1220mm  | AKRS12210  |   |         | Width                          | 451 mm                                 |
| Toe kick stainless steel 1676mm  | AKRS16810  | Installation Dinameters                 |         |                                |  |
| Toe kick stainless steel 1828mm  | AKRS18310  | Installation Dimensions                 |         |                                |  |
| Toe kick stainless steel 457mm   | AKRS04610  | Minimum inside width of cabinetry frame | 457 mm  | Product information            |  |
|  |            | Minimum internal depth of cabinetry     | 635 mm  | Packaged weight                | 118 kg                                 |
|  | _          | Minimum internal height of cabinetry    | 2134 mm | Unpackaged weight              | 100 kg                                 |

# Capacity

Total gross capacity 242 L

Performance

**QUICK REFERENCE GUIDE >** RS4621FRJE1 Date: 14.04.2025 > 3

# Warranty

| Parts and labour | 1 year |
|------------------|--------|
|                  |        |
| SKU              | 26942  |

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

2D-DWG Integrated Refrigeration - K05 Hinge

2D-DWG Integrated Refrigeration

2D-DXF Integrated Refrigeration - K05 Hinge

2D-DXF Panel Preparation

↓ 2D-DXF Integrated Refrigeration

↓ Declaration of Conformity ZH

Energy Label Integrated Column Freezer

↓ Service & Warranty

↓ Planning Guide (Chinese)

↓ Planning Guide (English)

Revit 20 Freezer

↓ Rhino 6 Freezer

SketchUp Freezer

User Guide (Chinese)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.