46cm Series 11 Integrated Column Freezer, Ice

Series 11	Integrated		
Panel Ready	Right Hinge		


Install it separately or pair with another Column for true design freedom – this model is right hinge with stainless steel interior.

- ActiveSmart technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage
- Internal ice maker with boost for busy times

Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS





FEATURES & BENEFITS

Variable temperature zones

There's more than one way to freeze food, and different freezing temperatures and techniques affect food care – and your levels of convenience – in different ways. Optimal freezing is a question of what you're storing, how fresh it is, and when you plan to consume it. Change a compartment to Soft Freeze to enjoy maximum everyday convenience, or to Freeze Mode or Deep Freeze Mode to retain natural goodness for future use.

DEEP FREEZE MODE

Deep freezing (-25°C) allows food to be stored for months or even years with temperatures that halt bacterial activity. Freezing food quickly is the key to protecting quality and retaining nutrients, so they are not lost when defrosting.

Mix & Match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Clever Energy

Our ActiveSmart Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigeratoruses the energy it needs without compromising on food care.

Appealing illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy Install

FISHER & PAYKEL

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (included)	
Joiner kit	AJ-RS21LR
Accessories (sold separately)	
Door panel stainless steel Left hinge 457mm	RD4621L10D
Door panel stainless steel Right hinge 457mm	RD4621R10D
Door panel stainless steel Right hinge 457mm	RD4621R10D
Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF
Handle kit Contemporary square fine, aluminium	AHD5RDSF
Handle kit Contemporary square fine, black	AHD5RDSFB
Handle kit Professional round flush	AHP3RDSF
Joiner kit	AJ-RS21LR
Toe kick stainless steel 1067mm	AKRS10710
Toe kick stainless steel 1220mm	AKRS12210
Toe kick stainless steel 1676mm	AKRS16810
Toe kick stainless steel 1828mm	AKRS18310
Toe kick stainless steel 457mm	AKRS04610
Water filter replacement	847200 - FWC3

Capacity	
Total gross capacity	242 L
Volume	220 L
Volume freezer	220 L

Consumption

Energy rating	Grade 1

Features

Freezer Features

Automatic ice maker
Bottle chill
Door alarm
Fast freeze
Freezer bins
Ice Boost
LED bin lighting
LED ceiling lighting
LED side lighting
SmartTouch interface at counter height

Installation Dimensions

Minimum inside width of cabinetry frame	457 mm
Minimum internal depth of cabinetry	635 mm
Minimum internal height of cabinetry	2134 mm

Performance

4

•	ActiveSmart™ Foodcare
•	Adaptive defrost
•	Dual evaporator
•	Frost free
•	Frost free freezer
•	Inverter controlled compressor
42 dBA	Noise emissions
D	Noise emissions class
•	Sabbath mode
Soft freeze; Freeze; Deep Freeze	Variable food modes
2	Variable temperature zones

Power requirements

Rated current	10 A
Supply frequency	50 Hz
Supply voltage	230 V

Product dimensions

610 mm
2134 mm
451 mm

QUICK REFERENCE GUIDE > RS4621FRJK1

Product information

Packaged weight	118 kg
Unpackaged weight	100 kg
Warranty	
Parts and labour	1 year
Sealed system parts only	5 years
SKU	25676

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- ↓ 2D-DXF Panel Preparation
- 🛓 🛛 Energy Label
- Service & Warranty
- ↓ Installation Guide Toe Kick
- 🕹 🛛 🕅 🕹
- ↓ Planning Guide (Chinese)
- ↓ Planning Guide (English)
- Revit Integrated Column Freezer
- Rhino Integrated Column Freezer
- ↓ Rhino Integrated Column Freezer with Door Panel and Contemporary Round Handle

- ↓ Rhino Integrated Column Freezer with Door Panel and Contemporary Square Handle
- Restriction of Hazardous Substances
- ↓ Sketchup Integrated Column Freezer
- Sketchup Integrated Column Freezer with Door Panel and Contemporary Round Handle
- ↓ Sketchup Integrated Column Freezer with Door Panel and Contemporary Square Handle
- 🚽 🕅 🕅 ZH

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.