QUICK REFERENCE GUIDE > DD60DHI9

Series 9, Integrated Double DishDrawer Dishwasher

Series 9 | Integrated

Panel Ready



Integrating into your kitchen design seamlessly, each drawer fits a half load that you can load and wash independently.


- · Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options
- Flexible racking can be folded down to fit bigger dishes
- Customise with your own front panel and handle to match your kitchen cabinetry, or choose our stainless steel panel

DIMENSIONS

 Height
 820 - 880 mm

 Width
 599 mm

 Depth
 553 mm



FEATURES & BENEFITS

Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

Independent Wash

With the ability to use both drawers independently and select different wash programs, the DishDrawer™ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

True Half Load

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can run simultaneously to accommodate a variety of loads.

Quick, Sanitise And Extra Dry Options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock To Pause

These DishDrawer™ Dishwashers have a knock to pause function – a knock on the front panel will pause the dishwasher.

Quiet Performer

Running at a very low decibel rating, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket •
Kickstrip true

Knife clip and multipurpose clip

Accessories (sold separately)

Door panel black stainless steel ADDD60DPB

| Door panel recessed handle black stainless | ADDD60DNB | Internal wash selector | • | Warranty | |
|--|-----------------------------|------------------------------------|--------------|--|--|
| steel | | Keylock | • | Parts and labour | 1 year |
| Door panel recessed handle matte black glass | ADDD60DZB | Knock to pause | • | | • |
| Door panel recessed handle stainless steel | ADDD60DNX | Rinse aid indicator light | • | | |
| Door panel stainless steel | ADDD60DPX | | | Wash Program Modifiers | |
| Handle kit Contemporary square fine, aluminium | AHD5DDDW60S | Features | | Extra Dry Quick | • |
| Handle kit Contemporary square fine, black | AHD5DDDW60B | Built-in water softener | • | Sanitise | • |
| | | Fan assisted drying | • | Wash modifiers | 3 |
| | | Flood protection | • | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | _ |
| Capacity and loading | | Flow through detergent dispenser | • | | |
| Accommodates round plates up to | 280mm | Motor type | BLDC | Wash Programs | |
| Adjustable height, foldable cupracks | • | Quiet operation | • | Delicate | • |
| Fold down tines | • | SmartDrive™ technology | • | Eco | • |
| Pitch adjustable tines | • | | | Fast | • |
| Place settings | 16 | | | Heavy | |
| Place settings per drawer | 8 | Performance | | Medium | |
| | | Noise on standard cycle top drawer | 43 dBA | Rinse | • |
| Consumption | | | | Wash programs | 6 |
| Cleaning Index | 1.16 | Power requirements | | | |
| Drying Index | 0.97 | Amperage | 10A | Water connection | |
| Energy consumption | 0.61kWh/cycle per drawer | Supply frequency | 50Hz | Water pressure | 100kPa - 1000kPa |
| Water consumption | 8L per drawer | Supply voltage | 220 - 240V | Water supply | 3/4" BSP (20mm) Connector Water Inlet Hose |
| Controls | | Product dimensions | | | |
| Electronic fault/Diagnostic indicator | • | Depth | 553 mm | 0.41 | |
| End of cycle beeps | • | Height | 820 - 880 mm | SKU | 83030 |
| Energy saving delay start option of up to 12 hours | • | Width | 599 mm | | |

QUICK REFERENCE GUIDE > DD60DHI9

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

Other product downloads available at fisherpaykel.com

- ↓ 2D-DWG DishDrawer™ Dishwasher
- 2D-DXF DishDrawer™ Dishwasher
- ↓ Service & Warranty
- ↓ Installation Guide EN
- ↓ Installation Guide ZH
- Planning Guide Integrated Double DishDrawer™ Dishwasher EN
- ↓ Quick Start Guide MMMM ZH
- ↓ Revit Integrated Double DishDrawer™ Dishwasher
- ↓ Rhino Integrated Double DishDrawer™ Dishwasher
- → Rhino Integrated Double DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- J Sketchup Integrated Double DishDrawer™ Dishwasher
- Sketchup Integrated Double DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle
- ↓ User Guide MMM ZH

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.