

# 91cm Series 11 Integrated Refrigerator Freezer, Ice & Water

Series 11 | Integrated


Panel Ready | Left hinge

Experience the pinnacle of refrigeration design with our most advanced model. Featuring an elegant interior, this refrigerator embodies premium functionality and style. Designed to optimise energy efficiency, it comes complete with an ice maker and internal water dispenser.

- For optimal food care, the Variable Temperature Drawer lets you switch between three modes: Chill, Fridge, or Pantry
- With a premium interior for a refined look and feel, this model is the highlight of our Integrated collection
- Enjoy convenient access to fresh, chilled water and ice with the internal water dispenser and ice maker
- Designed to optimise energy performance and efficiency

## DIMENSIONS

Height	2134 mm
Width	908 mm
Depth	610 mm



## FEATURES & BENEFITS

### Variable temperature drawer

When it comes to optimal food preservation, one temperature does not fit all. Our Variable Temperature Drawer gives you complete control over how you care for your food. With the touch of a button, you can transform the bottom refrigerator drawer into Chill, Fridge, or Pantry modes to best suit different types of food. Adjust the settings for everyday convenience or switch modes to increase chilling capacity, perfect for special occasions.

### Clever energy

With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.

### Elegant interior

With a premium interior for a refined look and feel, this model is the highlight of our Integrated refrigeration collection. Experience superior design and functionality combined seamlessly.

### Internal water and ice dispenser

Both the water dispenser and ice maker are located inside this integrated model, ensuring an uninterrupted exterior that blends seamlessly with adjacent cabinetry. The slimline water dispenser is flush-fit to maximise internal storage space. It boasts a temperature-controlled flow and an angled delivery to catch any drips or spills.

### ActiveSmart™ Foodcare

ActiveSmart™ Foodcare adapts to your lifestyle. This technology understands how you use your fridge and adjusts the temperature, airflow, and humidity to keep your food fresher for longer.

### Seamless integration

These models fit flush, with only 3mm gaps around them and no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry, or you can purchase our stainless steel door panel.

### Design quality

The premium design and finish include a steel interior lining, full-extension metal shelf runners for easy access, robust glass shelving, and drawers with quality hinges designed for daily use.

## SPECIFICATIONS

### Accessories (sold separately)

Door panel set stainless steel

Left hinge  
RD9121WLD,  
Right hinge  
RD9121WRD

Handle kit Classic

AHCLRD9121W

Handle kit Contemporary round, aluminium	<b>AHSRD9121W</b>
Handle kit Contemporary square fine, aluminium	<b>AHD5RD9121W</b>
Handle kit Contemporary square fine, black	<b>AHD5RD9121WB</b>
Joiner kit	<b>AJ-RS21LR</b>
Toe kick stainless steel 910mm	<b>AKRS09110</b>
Water filter replacement	<b>847200 - FWC3</b>

Split level cantilevered shelves	•
Variable temperature drawer	•

Holiday mode	•
Humidity control system	•
Internal replacable water filter	•
Sabbath mode	•
Triple evaporator	•
Variable food modes	<b>Pantry; Fridge; Chill</b>
Variable temperature compartment	•

**Capacity**

Volume	<b>555 L</b>
Volume freezer	<b>190 L</b>
Volume refrigerator	<b>328 L</b>
Volume variable temperature compartment	<b>37 L</b>

**Freezer Features**

Automatic ice maker	•
Bottle chill	•
Door alarm	•
Fast freeze	•
Freezer bins	<b>1</b>
Freezer drawers	<b>1</b>
Freezer trays	<b>1</b>
Ice bin and scoop	•
Ice Boost	•
LED Lighting	•
Max Cold	•
Slide Out Pastry Tray	•
SmartTouch interface at counter height	•

**Power requirements**

Rated current	<b>10 A</b>
Supply frequency	<b>50 Hz</b>
Supply voltage	<b>230 V</b>

**Consumption**

Energy rating	<b>Grade 1</b>
---------------	----------------

**Product dimensions**

Depth	<b>610 mm</b>
Height	<b>2134 mm</b>
Width	<b>908 mm</b>

**Features**

Adjustable door shelves	<b>3</b>
Adjustable glass cantilevered shelves	•
Adjustable glass shelves	<b>4</b>
Door alarm	•
Fruit and vegetable bins	<b>1</b>
Full extension drawers	<b>2</b>
Internal water dispenser	•
Keylock	•
LED bin lighting	•
LED ceiling lighting	•
SmartTouch interface at counter height	•

**Installation Dimensions**

Minimum inside width of cabinetry frame	<b>914 mm</b>
Minimum internal depth of cabinetry	<b>635 mm</b>
Minimum internal height of cabinetry	<b>2134 mm</b>

**Product information**

Packaged weight	<b>240 kg</b>
-----------------	---------------

**Performance**

ActiveSmart™ Foodcare	•
Adaptive defrost	•
Eco friendly R600a refrigerant	•
Frost free	•

**Variable Temp Compartment**

Chill	•
Fridge	•
Pantry	•

SKU

26767

---

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

**Other product downloads available at fisherpaykel.com**

- [↓](#) 2D-DWG Integrated Refrigeration - K05 Hinge
- [↓](#) 2D-DWG Integrated Refrigerator
- [↓](#) 2D-DXF Integrated Refrigeration - K05 Hinge
- [↓](#) 2D-DXF Integrated Refrigeration
- [↓](#) 2D-DXF Panel Preparation
- [↓](#) Declaration of Conformity ZH
- [↓](#) Energy Label
- [↓](#) Installation Guide (English)
- [↓](#) Installation Guide (Chinese)
- [↓](#) Planning Guide (Chinese)
- [↓](#) Revit 20 Integrated Refrigerator
- [↓](#) Rhino 6 Integrated Refrigerator
- [↓](#) SketchUp 8 Integrated Refrigerator
- [↓](#) User Guide (English)
- [↓](#) User Guide (Chinese)

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

**Where applicable:**