QUICK REFERENCE GUIDE > RS4621FLJE1

45.7cm Series 11 Integrated Column Freezer, Ice

Series 11 | Integrated




Experience the pinnacle of refrigeration design with our most advanced model. Featuring a left hinge and an elegant interior, this Column embodies premium functionality and style. Designed to optimise energy efficiency, it seamlessly integrates alone or paired with another Column.

- With a premium interior for a refined look and feel, this model is the highlight of our Integrated Columns collection
- Designed to optimise energy performance and efficiency
- Flexible storage with two Variable Temperature Zones: choose Freeze, Soft Freeze, or Deep Freeze mode

 Mix and match columns, install separately or pair, and customise with cabinetry or stainless steel panels

DIMENSIONS

Height 2134 mm
Width 451 mm
Depth 610 mm



FEATURES & BENEFITS

Premium interior

Our Series 11 Columns are designed with a premium interior that balances form and function. Every element, from the seamless finish to the considered interior lighting, creates a sleek, understated aesthetic that integrates effortlessly into any kitchen.

Clever energy

With highly efficient vacuum insulation reducing heat transfer, this fridge uses only the energy it needs while keeping your food fresher for longer.

Variable Temperature Zones

There's more than one way to freeze food, and different temperatures and techniques can affect food care and convenience. Optimal freezing depends on what you're storing, how fresh it is, and when you plan to use it. Switch a compartment to Soft Freeze for everyday convenience, or choose Freeze or Deep Freeze Mode to preserve freshness and retain natural goodness for longer.

Mix & Match

Integrated Column Refrigeration offers the flexibility to mix and match. Choose from different-sized Column Fridges and Freezers that can be installed individually or paired together. Complete the look with your own customised door panels to blend seamlessly with your kitchen cabinetry, or purchase our stainless steel door panels.

Perfect Fit

These models fit flush and have only 3mm gaps around them with no visible hinges or grilles. Our Integrated models can be seamlessly hidden behind your cabinetry for an understated and clean look with any kitchen layout.

Deep Freeze Mode

Deep freezing (-25°C) halts bacterial activity, allowing food to be stored safely for extended periods. Freezing food quickly helps to protect quality and retain nutrients, ensuring they are preserved when defrosted.

Easy install

QUICK REFERENCE GUIDE > RS4621FLJE1 Date: 21.10.2025 > 2

Integrated Column Refrigerators and Freezers have been developed to make installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front-adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (included)

Joiner kit	AJ-RS21LR

Accessories (sold separately)

Door panel stainless steel Left hinge 457mm	RD4621L10D
Door panel stainless steel Right hinge 457mm	RD4621R10D
Handle kit Classic	AHCLRDSF
Handle kit Contemporary round, aluminium	AHSRDSF
Handle kit Contemporary square fine, aluminium	AHD5RDSF
Handle kit Contemporary square fine, black	AHD5RDSFB
Handle kit Professional round flush	AHP3RDSF
Joiner kit	AJ-RS21LR
Toe kick stainless steel 1067mm	AKRS10710
Toe kick stainless steel 1220mm	AKR\$12210
Toe kick stainless steel 1676mm	AKRS16810
Toe kick stainless steel 1828mm	AKRS18310
Toe kick stainless steel 457mm	AKRS04610
Water filter replacement	847200 - FWC3

Capacity

Total gross capacity 242 L

Volume Volume freezer	220 L 220 L	Minimum internal depth of cabinetry Minimum internal height of cabinetry
Consumption		Performance
Energy rating	Grade 1	ActiveSmart™ Foodcare Adaptive defrost

Features	
Adjustable door shelves	4
Adjustable glass cantilevered shelves	•
Adjustable glass shelves	3
SmartTouch interface at counter height	•
Water Filter	847200

Freezer Features

Automatic ice maker
Bottle chill
Door alarm
Fast freeze
Freezer bins
Ice Boost
LED bin lighting
LED ceiling lighting
LED side lighting
SmartTouch interface at counter height

Installation Dimensions

457 mm Minimum inside width of cabinetry frame

ActiveSmart™ Foodcare	•
Adaptive defrost	•
Dual evaporator	•
Frost free	•
Frost free freezer	•
Inverter controlled compressor	•
Noise emissions	42 dBA
Noise emissions class	D
Sabbath mode	•
Variable food modes	Soft freeze; Freeze; Deep Freeze
Variable temperature zones	2

635 mm

2134 mm

Power requirements

Rated current	10 A
Supply frequency	50 Hz
Supply voltage	230 V

Product dimensions

Depth	610 mn
Height	2134 mn
Width	451 mn

QUICK REFERENCE GUIDE > RS4621FLJE1 Date: 21.10.2025 > 3

Product information

Packaged weight	118 kg
Unpackaged weight	100 kg

SKU 26938

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

DWG K05 Hinge

↓ DWG

↓ DXF K05 Hinge

L DXF

Declaration of Conformity (Chinese)

↓ Energy Label

↓ Planning Guide (Chinese)

Planning Guide (English)

↓ Revit

↓ Rhino

↓ SketchUp

User Guide (English)

User Guide (Chinese)

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

Where applicable: