QUICK REFERENCE GUIDE > RS4621FLJK1 Date: 06.06.2025 > 1

46cm Series 11 Integrated Column Freezer, Ice


Series 11 | Integrated



Install it separately or pair with another Column for true design freedom - this model is left hinge with stainless steel interior.

- ActiveSmart technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage
- Internal ice maker with boost for busy times
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

Height 2134 mm
Width 451 mm
Depth 610 mm



FEATURES & BENEFITS

Variable temperature zones

There's more than one way to freeze food, and different freezing temperatures and techniques affect food care – and your levels of convenience – in different ways. Optimal freezing is a question of what you're storing, how fresh it is, and when you plan to consume it. Change a compartment to Soft Freeze to enjoy maximum everyday convenience, or to Freeze Mode or Deep Freeze Mode to retain natural goodness for future use.

DEEP FREEZE MODE

Deep freezing (-25°C) allows food to be stored for months or even years with temperatures that halt bacterial activity. Freezing food quickly is the key to protecting quality and retaining nutrients, so they are not lost when defrosting.

Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Clever Energy

Our ActiveSmart Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigeratoruses the energy it needs without compromising on food care.

Appealing illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (included)

DIMENSIONS

Joiner kit	AJ-RS21LR	Features		Frost free	•
		Adjustable door shelves	4	Frost free freezer	•
		Adjustable glass cantilevered shelves	•	Inverter controlled compressor	•
Accessories (sold separately)		Adjustable glass shelves	3	Noise emissions	42 dBA
Door panel stainless steel Left hinge 457mm	RD4621L10D	SmartTouch interface at counter height	•	Noise emissions class	D
Door panel stainless steel Left hinge 457mm	RD4621L10D	Water Filter	847200	Sabbath mode	•
Door panel stainless steel Right hinge 457mm	RD4621R10D			Variable food modes	Soft freeze; Freeze; Deep
Handle kit Classic	AHCLRDSF	Freezer Features		Variable temperature zones	Freeze
Handle kit Contemporary round, aluminium	AHSRDSF				2
Handle kit Contemporary square fine,	AHD5RDSF	Automatic ice maker	•	-	_
aluminium	AUD 500 650	Bottle chill	•	Power requirements	
Handle kit Contemporary square fine, black	AHD5RDSFB	Door alarm	•	·	
Handle kit Professional round flush	AHP3RDSF	Fast freeze	•	Rated current	10 A
Joiner kit	AJ-RS21LR	Freezer bins	4	Supply frequency	50 Hz
Toe kick stainless steel 1067mm	AKRS10710	Ice Boost	•	Supply voltage	230 V
Toe kick stainless steel 1220mm	AKRS12210	LED bin lighting	•		
Toe kick stainless steel 1676mm	AKRS16810	LED ceiling lighting	•	Due divek dimensione	
Toe kick stainless steel 1828mm	AKRS18310	LED side lighting	•	Product dimensions	
Toe kick stainless steel 457mm	AKRS04610	SmartTouch interface at counter height	•	Depth	610 mm
Water filter replacement	847200 - FWC3			Height	2134 mm
				Width	451 mm
		Installation Dimensions			
Capacity		Minimum inside width of cabinetry frame	457 mm		
Total gross capacity	242 L	Minimum internal depth of cabinetry	635 mm	Product information	
Volume	220 L	Minimum internal height of cabinetry	2134 mm	Packaged weight	118 kg
Volume freezer	220 L			Unpackaged weight	100 kg
		Performance			
Consumption		ActiveSmart™ Foodcare	•	SKU	25677
Energy rating	Grade 1	Adaptive defrost	•	5.10	25077
		Dual evaporator	•		

QUICK REFERENCE GUIDE > RS4621FLJK1 Date: 06.06.2025 > 3

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

↓ DWG

DWG Appliance with Contemporary Round Handle

↓ DWG Appliance with Contemporary Square Handle

↓ DXF

↓ DXF

↓ DXF

↓ Energy Label

Water Filter Replacement Instructions - Parts 847200 and 847201 (English)

Installation Guide - Toe Kick (English)

Water Filter Replacement Instructions - Parts 847200 and 847201 (Chinese)

↓ Revit

↓ Rhino

Rhino Appliance with Door Panel and Contemporary Round Handle

Rhino Appliance with Door Panel and Contemporary Square Handle

Restriction of the Use of Hazardous Substances (Chinese)

SketchUp

SketchUp Appliance with Door Panel and Contemporary Round Handle

SketchUp Appliance with Door Panel and Contemporary Square Handle

↓ User Guide (Chinese)

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

Where applicable: